

BT-COTTON, RECENT LITERATURE, FROM WEB OF SCIENCE, 20060719, K.Ammann

(1996)

Bt cotton struggles with bollworms. Outlook on Agriculture, 25, 4, pp 269-270
<Go to ISI>://A1996WE42100013

(1997)

EPA reviewing resistance management plans for Bt cotton. Asm News, 63, 6, pp 298-298
<Go to ISI>://A1997XD75800005

(2003)

Bt maize may alter Bt cotton effectiveness. Outlook on Agriculture, 32, 1, pp 59-60
<Go to ISI>://000181911300015

(2003)

Pest resistance to Bt cotton. Environmental Science & Technology, 37, 13, pp 249A-249A
<Go to ISI>://000183973700014

Abel, C.A. & Adamczyk, J.J. (2004)

Relative concentration of Cry1A in maize leaves and cotton bolls with diverse chlorophyll content and corresponding larval development of fall armyworm (Lepidoptera : Noctuidae) and southwestern corn borer (Lepidoptera : Crambidae) on maize whorl leaf profiles. Journal of Economic Entomology, 97, 5, pp 1737-1744
<Go to ISI>://000224653200034

Adamczyk, J.J., Adams, L.C., & Hardee, D.D. (2001)

Field efficacy and seasonal expression profiles for terminal leaves of single and double Bacillus thuringiensis toxin cotton genotypes. Journal of Economic Entomology, 94, 6, pp 1589-1593
<Go to ISI>://000172741000039

Adamczyk, J.J. & Gore, J. (2003)

Varying levels of Cry1Ac in transgenic Bacillus thuringiensis Berliner (Bt) cotton leaf bioassays. Journal of Agricultural and Urban Entomology, 20, 2, pp 49-53
<Go to ISI>://000221606400001

Adamczyk, J.J., Holloway, J.W., Church, G.E., Leonard, B.R., & Graves, J.B. (1998)

Larval survival and development of the fall armyworm (Lepidoptera : Noctuidae) on normal and transgenic cotton expressing the Bacillus thuringiensis CryIA(c) partial derivative-endotoxin. Journal of Economic Entomology, 91, 2, pp 539-545
<Go to ISI>://000073485000031

Adamczyk, J.J. & Sumerford, D.V. (2001)

Increased tolerance of fall armyworms (Lepidoptera : Noctuidae) to Cry1Ac delta-endotoxin when fed transgenic Bacillus thuringiensis cotton: Impact on the development of subsequent generations. Florida Entomologist, 84, 1, pp 1-6
<Go to ISI>://000168101100001

Arunachalam, V. (2004)

Promotion of Bt cotton in India. Current Science, 86, 11, pp 1470-1470
<Go to ISI>://000222069800004

Ashfaq, M., Young, S.Y., & McNew, R.W. (2000)

Development of Spodoptera exigua and Helicoverpa zea (Lepidoptera : Noctuidae) on transgenic cotton containing CryIAc insecticidal protein. Journal of Entomological Science, 35, 4, pp 360-372
<Go to ISI>://000166038900002

Ashfaq, M., Young, S.Y., & McNew, R.W. (2001)

Larval mortality and development of Pseudoplusia includens (Lepidoptera : Noctuidae) reared on a transgenic Bacillus thuringiensis-cotton cultivar expressing CryIAc insecticidal protein. Journal of Economic Entomology, 94, 5, pp 1053-1058
<Go to ISI>://000171545000007

Baffes, J. (2005)

The "cotton problem". World Bank Research Observer, 20, 1, pp 109-144
<Go to ISI>://000228397900005

Bambawale, O.M., Singh, A., Sharma, O.P., Bhosle, B.B., Lavekar, R.C., Dhandapani, A., Kanwar, V., Tanwar, R.K., Rathod, K.S., Patange, N.R., & Pawar, V.M. (2004)

Performance of Bt cotton (MECH-162) under Integrated Pest Management in farmers' participatory field trial in Nanded district, Central India. Current Science, 86, 12, pp 1628-1633

<Go to ISI>://000222454500018

Barnett, B.J. & Gibson, B.O. (1999)

Economic challenges of transgenic crops: The case of Bt cotton. *Journal of Economic Issues*, 33, 3, pp 647-659

<Go to ISI>://000082468000007

Barwale, R.B. (2001)

Bt-cotton: The view from MAHYCO. *Current Science*, 80, 3, pp 325-326

<Go to ISI>://000167008000009

Bashir, K., Husnain, T., Fatima, T., Latif, Z., Mehdi, S.A., & Riazuddin, S. (2004)

Field evaluation and risk assessment of transgenic indica basmati rice. *Molecular Breeding*, 13, 4, pp 301-312

<Go to ISI>://000222473200002

Bashir, K., Husnain, T., Fatima, T., Riaz, N., Makhdoom, R., & Riazuddin, S. (2005)

Novel indica basmati line (B-370) expressing two unrelated genes of *Bacillus thuringiensis* is highly resistant to two lepidopteran insects in the field. *Crop Protection*, 24, 10, pp 870-879

<Go to ISI>://000231333900003

Baur, M.E. & Boethel, D.J. (2003)

Effect of Bt-cotton expressing Cry1A(c) on the survival and fecundity of two hymenopteran parasitoids (*Braconidae*, *Encyrtidae*) in the laboratory. *Biological Control*, 26, 3, pp 325-332

<Go to ISI>://000181880700013

Benedict, J.H., Altman, D.W., Umbeck, P.F., & Ring, D.R. (1992)

Behavior, Growth, Survival, and Plant Injury by *Heliothis-Virescens* (F) (*Lepidoptera*, *Noctuidae*) on Transgenic Bt Cottons. *Journal of Economic Entomology*, 85, 2, pp 589-593

<Go to ISI>://A1992HL67100046

Bennett, R., Buthelezi, T.J., Ismael, Y., & Morse, S. (2003)

Bt cotton, pesticides, labour and health - A case study of smallholder farmers in the Makhathini Flats, Republic of South Africa. *Outlook on Agriculture*, 32, 2, pp 123-128

<Go to ISI>://000183642000008

Bennett, R., Ismael, Y., & Morse, S. (2005)

Explaining contradictory evidence regarding impacts of genetically modified crops in developing countries. Varietal performance of transgenic cotton in India. *Journal of Agricultural Science*, 143, pp 35-41

<Go to ISI>://000230861800006

Bennett, R., Ismael, Y., Morse, S., & Shankar, B. (2004)

Reductions in insecticide use from adoption of Bt cotton in South Africa: impacts on economic performance and toxic load to the environment. *Journal of Agricultural Science*, 142, pp 665-674

<Go to ISI>://000229871000005

Bennett, R., Kambhampati, U., Morse, S., & Ismael, Y. (2006)

Farm-level economic performance of genetically modified cotton in Maharashtra, India. *Review of Agricultural Economics*, 28, 1, pp 59-71

<Go to ISI>://000235459400005

Bennett, R., Morse, S., & Ismael, Y. (2006)

The economic impact of genetically modified cotton on South African smallholders: Yield, profit and health effects. *Journal of Development Studies*, 42, 4, pp 662-677

<Go to ISI>://000238090300006

Bharathan, G. (2000)

Bt-cotton in India: Anatomy of a controversy. *Current Science*, 79, 8, pp 1067-1075

<Go to ISI>://000165120300016

Bharathan, G. (2001)

Bt cotton in India: Too cautious a development - Response. *Current Science*, 80, 10, pp 1253-1254

<Go to ISI>://000169048300012

Bharathan, G. (2001)

Bt-cotton in India - Response. *Current Science*, 80, 3, pp 322-323

<Go to ISI>://000167008000006

Bharathan, G. (2001)

Bt-cotton: government procedures - Response. *Current Science*, 80, 3, pp 324-325

<Go to ISI>://000167008000008

Bharathan, G. (2001)

Bt-cotton: The view from MAHYCO - Response. *Current Science*, 80, 3, pp 326-327
<Go to ISI>://000167008000010

Bhatia, C.R. (2001)

Bt-cotton in India. *Current Science*, 80, 3, pp 321-322
<Go to ISI>://000167008000005

Bird, L.J. & Akhurst, R.J. (2004)

Relative fitness of CryIA-resistant and -susceptible *Helicoverpa armigera* (Lepidoptera : Noctuidae) on conventional and transgenic cotton. *Journal of Economic Entomology*, 97, 5, pp 1699-1709
<Go to ISI>://000224653200029

Bird, L.J. & Akhurst, R.J. (2005)

Fitness of Cry1A-resistant and -susceptible *Helicoverpa armigera* (Lepidoptera : Noctuidae) on Transgenic cotton with reduced levels of Cry1Ac. *Journal of Economic Entomology*, 98, 4, pp 1311-1319
<Go to ISI>://000231056100031

Bundy, C.S., McPherson, R.M., & Herzog, G.A. (2000)

An examination of the external and internal signs of cotton boll damage by stink bugs (Heteroptera : Pentatomidae). *Journal of Entomological Science*, 35, 4, pp 402-410
<Go to ISI>://000166038900006

Bundy, C.S., Smith, P.F., Richman, D.B., & Steiner, R.L. (2005)

Survey of the spiders of cotton in New Mexico with seasonal evaluations between Bt and non-Bt varieties. *Journal of Entomological Science*, 40, 4, pp 355-367
<Go to ISI>://000235018900001

Burris, E., Graves, J.B., Leonard, B.R., & White, C.A. (1994)

Beet Armyworms (Lepidoptera, Noctuidae) in Northeast Luisisana - Observations on an Uncommon Insect Pest. *Florida Entomologist*, 77, 4, pp 454-459
<Go to ISI>://A1994QA21700007

Caprio, M.A., Faver, M.K., & Hankins, G. (2004)

Evaluating the impacts of refuge width on source-sink dynamics between transgenic and nontransgenic cotton. *Journal of Insect Science*, 4, pp
<Go to ISI>://000226161700038

Carriere, K., Dennehy, T.J., Pedersen, B., Haller, S., Eilers-Kirk, C., Antilla, L., Liu, Y.B., Willott, E., & Tabashnik, B.E. (2001)

Large-scale management of insect resistance to transgenic cotton in Arizona: Can transgenic insecticidal crops be sustained? *Journal of Economic Entomology*, 94, 2, pp 315-325
<Go to ISI>://000168077500001

Carriere, Y., Dutilleul, P., Eilers-Kirk, C., Pedersen, B., Haller, S., Antilla, L., Dennehy, T.J., & Tabashnik, B.E. (2004)

Sources, sinks, and the zone of influence of refuges for managing insect resistance to Bt crops. *Ecological Applications*, 14, 6, pp 1615-1623
<Go to ISI>://000225858000001

Carriere, Y., Eilers-Kirk, C., Biggs, R., Degain, B., Holley, D., Yafuso, C., Evans, P., Dennehy, T.J., & Tabashnik, B.E. (2005)

Effects of cotton cultivar on fitness costs associated with resistance of pink bollworm (Lepidoptera : Gelechiidae) to Bt cotton. *Journal of Economic Entomology*, 98, 3, pp 947-954
<Go to ISI>://000229652600042

Carriere, Y., Eilers-Kirk, C., Biggs, R., Higginson, D.M., Dennehy, T.J., & Tabashnik, B.E. (2004)

Effects of gossypol on fitness costs associated with resistance to Bt cotton in pink bollworm. *Journal of Economic Entomology*, 97, 5, pp 1710-1718
<Go to ISI>://000224653200030

Carriere, Y., Eilers-Kirk, C., Kumar, K., Heuberger, S., Whitlow, M., Antilla, L., Dennehy, T.J., & Tabashnik, B.E. (2005)

Long-term evaluation of compliance with refuge requirements for Bt cotton. *Pest Management Science*, 61, 4, pp 327-330
<Go to ISI>://000228017000001

Carriere, Y., Eilers-Kirk, C., Liu, Y.B., Sims, M.A., Patin, A.L., Dennehy, T.J., & Tabashnik, B.E. (2001)

Fitness costs and maternal effects associated with resistance to transgenic cotton in the pink bollworm (Lepidoptera : Gelechiidae). *Journal of Economic Entomology*, 94, 6, pp 1571-1576

<Go to ISI>://000172741000036

Carriere, Y., Ellers-Kirk, C., Patin, A.L., Sims, M.A., Meyer, S., Liu, Y.B., Dennehy, T.J., & Tabashnik, B.E. (2001)
Overwintering cost associated with resistance to transgenic cotton in the pink bollworm (Lepidoptera : Gelechiidae).
Journal of Economic Entomology, 94, 4, pp 935-941
<Go to ISI>://000170920500022

Carriere, Y., Ellers-Kirk, C., Pedersen, B., Haller, S., & Antilla, L. (2001)
Predicting spring moth emergence in the pink bollworm (Lepidoptera : Gelechiidae): Implications for managing resistance to transgenic cotton. Journal of Economic Entomology, 94, 5, pp 1012-1021
<Go to ISI>://000171545000002

Carriere, Y., Ellers-Kirk, C., Sisterson, M., Antilla, L., Whitlow, M., Dennehy, T.J., & Tabashnik, B.E. (2003)
Long-term regional suppression of pink bollworm by *Bacillus thuringiensis* cotton. Proceedings of the National Academy of Sciences of the United States of America, 100, 4, pp 1519-1523
<Go to ISI>://000181073000016

Carriere, Y., Nyboer, M.E., Ellers-Kirk, C., Sollome, J., Colletto, N., Antilla, L., Dennehy, T.J., Staten, R.T., & Tabashnik, B.E. (2006)
Effect of resistance to *Bacillus thuringiensis* cotton on pink bollworm (Lepidoptera : Gelechiidae) response to sex pheromone. Journal of Economic Entomology, 99, 3, pp 946-953
<Go to ISI>://000238234500050

Cattaneo, M.G., Yafuso, C., Schmidt, C., Huang, C.Y., Rahman, M., Olson, C., Ellers-Kirk, C., Orr, B.J., Marsh, S.E., Antilla, L., Dutilleul, P., & Carriere, Y. (2006)
Farm-scale evaluation of the impacts of transgenic cotton on biodiversity, pesticide use, and yield. Proceedings of the National Academy of Sciences of the United States of America, 103, 20, pp 7571-7576
<Go to ISI>://000237835900010

Chen, D.H., Ye, G.Y., Yang, C.Q., Chen, Y., & Wu, Y.K. (2004)
Effect after introducing *Bacillus thuringiensis* gene on nitrogen metabolism in cotton. Field Crops Research, 87, 2-3, pp 235-244
<Go to ISI>://000220837900010

Chen, D.H., Ye, G.Y., Yang, C.Q., Chen, Y., & Wu, Y.K. (2005)
The effect of high temperature on the insecticidal properties of Bt Cotton. Environmental and Experimental Botany, 53, 3, pp 333-342
<Go to ISI>://000228891300009

Chen, D.H., Ye, G.Y., Yang, C.Q., Chen, Y., & Wu, Y.K. (2005)
Effect of introducing *Bacillus thuringiensis* gene on nitrogen metabolism in cotton. Field Crops Research, 92, 1, pp 1-9
<Go to ISI>://000227502200001

Chen, F.J., Wu, G., Ge, F., Parajulee, M.N., & Shrestha, R.B. (2005)
Effects of elevated CO₂ and transgenic Bt cotton on plant chemistry, performance, and feeding of an insect herbivore, the cotton bollworm. Entomologia Experimentalis Et Applicata, 115, 2, pp 341-350
<Go to ISI>://000228752000007

Coviella, C.E., Morgan, D.J.W., & Trumble, J.T. (2000)
Interactions of elevated CO₂ and nitrogen fertilization: Effects on production of *Bacillus thuringiensis* toxins in transgenic plants. Environmental Entomology, 29, 4, pp 781-787
<Go to ISI>://000089623500015

Dean, J.M. & De Moraes, C.M. (2006)
Effects of genetic modification on herbivore-induced volatiles from maize. Journal of Chemical Ecology, 32, 4, pp 713-724
<Go to ISI>://000237795600001

Delmer, D.P. (2005)
Agriculture in the developing world: Connecting innovations in plant research to downstream applications. Proceedings of the National Academy of Sciences of the United States of America, 102, 44, pp 15739-15746
<Go to ISI>://000233090900007

Dong, H.Z., Li, W.J., Tang, W., Li, Z.H., & Zhang, D.M. (2005)
Increased yield and revenue with a seedling transplanting system for hybrid seed production in Bt cotton. Journal of Agronomy and Crop Science, 191, 2, pp 116-124
<Go to ISI>://000228525900006

Dong, H.Z., Li, W.J., Tang, W., Li, Z.H., & Zhang, D.M. (2006)

- Effects of genotypes and plant density on yield, yield components and photosynthesis in Bt transgenic cotton. *Journal of Agronomy and Crop Science*, 192, 2, pp 132-139
<Go to ISI>://000236327900006
- Dong, H.Z., Li, W.J., Tang, W., & Zhang, D.M. (2004)**
Development of hybrid Bt cotton in China - A successful integration of transgenic technology and conventional techniques. *Current Science*, 86, 6, pp 778-782
<Go to ISI>://000220700300015
- Elangovan, A.V., Mandal, A.B., & Johri, T.S. (2003)**
Comparative performance of broilers fed diets containing processed meals of BT, parental non-BT line or commercial cotton seeds. *Asian-Australasian Journal of Animal Sciences*, 16, 1, pp 57-62
<Go to ISI>://000179616900011
- Elbehri, A. & MacDonald, S. (2004)**
Estimating the impact of transgenic Bt cotton on West and Central Africa: A general equilibrium approach. *World Development*, 32, 12, pp 2049-2064
<Go to ISI>://000225636000004
- Estela, A., Escriche, B., & Ferre, J. (2004)**
Interaction of *Bacillus thuringiensis* toxins with larval midgut binding sites of *Helicoverpa armigera* (Lepidoptera : Noctuidae). *Applied and Environmental Microbiology*, 70, 3, pp 1378-1384
<Go to ISI>://000220154800016
- Falck-Zepeda, J.B., Traxler, G., & Nelson, R.G. (2000)**
Surplus distribution from the introduction of a biotechnology innovation. *American Journal of Agricultural Economics*, 82, 2, pp 360-369
<Go to ISI>://000087217200010
- Feng, H.Q., Wu, K.M., Ni, Y.X., Cheng, D.F., & Guo, Y.Y. (2005)**
High-altitude windborne transport of *Helicoverpa armigera* (Lepidoptera : Noctuidae) in mid-summer in northern China. *Journal of Insect Behavior*, 18, 3, pp 335-349
<Go to ISI>://000228854200005
- Fok, M.A.C., Liang, W.L., Wang, J., & Xu, N.Y. (2006)**
Cotton production by family farms in China: Strengths and weaknesses of its integration into a market economy. *Cahiers Agricultures*, 15, 1, pp 42-53
<Go to ISI>://000237284200007
- Fox, J.L. (1996)**
Bt cotton infestations renew resistance concerns. *Nature Biotechnology*, 14, 9, pp 1070-1070
<Go to ISI>://A1996VF84300013
- Freudling, C. (1999)**
Chinese Bt cotton needs resistance management. *Biotechnology and Development Monitor*, 38, pp 22-22
<Go to ISI>://000082383900009
- Frisvold, G., Tronstad, R., & Mortensen, J. (2000)**
Effects of Bt cotton adoption: Regional differences and commodity program effects. *Journal of Agricultural and Resource Economics*, 25, 2, pp 723-724
<Go to ISI>://000165156000091
- Ghosh, P.K. (2001)**
Bt-cotton: government procedures. *Current Science*, 80, 3, pp 323-324
<Go to ISI>://000167008000007
- Gonzalez-Cabrera, J., Escriche, B., Tabashnik, B.E., & Ferre, J. (2003)**
Binding of *Bacillus thuringiensis* toxins in resistant and susceptible strains of pink bollworm (*Pectinophora gossypiella*). *Insect Biochemistry and Molecular Biology*, 33, 9, pp 929-935
<Go to ISI>://000185157600008
- Gore, J., Leonard, B.R., Church, G.E., Russell, J.S., & Hall, T.S. (2000)**
Cotton boll abscission and yield losses associated with first-instar bollworm (Lepidoptera : Noctuidae) injury to nontransgenic and transgenic Bt cotton. *Journal of Economic Entomology*, 93, 3, pp 690-696
<Go to ISI>://000088599000021
- Gore, J., Leonard, B.R., & Jones, R.H. (2003)**
Influence of agronomic hosts on the susceptibility of *Helicoverpa zea* (Boddie) (Lepidoptera : Noctuidae) to genetically engineered and non-engineered cottons. *Environmental Entomology*, 32, 1, pp 103-110
<Go to ISI>://000181429900013

- Greene, J.K., Turnipseed, S.G., Sullivan, M.J., & Herzog, G.A. (1999)**
Boil damage by southern green stink bug (Hemiptera : Pentatomidae) and tarnished plant bug (Hemiptera : Miridae) caged on transgenic *Bacillus thuringiensis* cotton. *Journal of Economic Entomology*, 92, 4, pp 941-944
<Go to ISI>://000082361100026
- Gujar, G.T. (2001)**
Bt cotton in India: Too cautious a development. *Current Science*, 80, 10, pp 1253-1253
<Go to ISI>://000169048300011
- Gujar, G.T. (2005)**
Will Bt cotton remain effective in India? *Nature Biotechnology*, 23, 8, pp 927-928
<Go to ISI>://000231019900014
- Gutierrez, A.P., Adamczyk, J.J., Ponsard, S., & Ellis, C.K. (2006)**
Physiologically based demographics of Bt cotton-pest interactions - II. Temporal refuges, natural enemy interactions. *Ecological Modelling*, 191, 3-4, pp 360-382
<Go to ISI>://000234951600004
- Gutierrez, A.P. & Ponsard, S. (2006)**
Physiologically based demographics of Bt cotton-pest interactions - I. Pink bollworm resistance, refuge and risk. *Ecological Modelling*, 191, 3-4, pp 346-359
<Go to ISI>://000234951600003
- Hardee, D.D., Adams, L.C., Solomon, W.L., & Sumerford, D.V. (2001)**
Tolerance to Cry1Ac in populations of *Helicoverpa zea* and *Heliothis virescens* (Lepidoptera : Noctuidae): Three-year summary. *Journal of Agricultural and Urban Entomology*, 18, 3, pp 187-197
<Go to ISI>://000177473300006
- Hareau, G.G., Mills, B.F., & Norton, G.W. (2006)**
The potential benefits of herbicide-resistant transgenic rice in Uruguay: Lessons for small developing countries. *Food Policy*, 31, 2, pp 162-179
<Go to ISI>://000236252000006
- He, K.L., Wang, Z.Y., Bai, S.X., Zheng, L., Wang, Y.B., & Cui, H.Y. (2006)**
Efficacy of transgenic Bt cotton for resistance to the Asian corn borer (Lepidoptera : Crambidae). *Crop Protection*, 25, 2, pp 167-173
<Go to ISI>://000234532300009
- Head, G., Moar, M., Eubanks, M., Freeman, B., Ruberson, J., Hagerty, A., & Turnipseed, S. (2005)**
A multiyear, large-scale comparison of arthropod populations on commercially managed Bt and non-Bt cotton fields. *Environmental Entomology*, 34, 5, pp 1257-1266
<Go to ISI>://000232405800031
- Head, G., Surber, J.B., Watson, J.A., Martin, J.W., & Duan, J.J. (2002)**
No detection of Cry1Ac protein in soil after multiple years of transgenic Bt cotton (Bollgard) use. *Environmental Entomology*, 31, 1, pp 30-36
<Go to ISI>://000178325800005
- Henneberry, T.J. & Jech, L.F. (2000)**
Seasonal pink bollworm, *Pectinophora gossypiella* (Saunders), infestations of transgenic and non-transgenic cottons. *Southwestern Entomologist*, 25, 4, pp 273-286
<Go to ISI>://000167130900005
- Henneberry, T.J., Jech, L.F., & de la Torre, T. (2001)**
Effects of transgenic cotton on cabbage looper, tobacco budworm, and beet armyworm (Lepidoptera : Noctuidae) larval mortality and development and foliage consumption in the laboratory. *Southwestern Entomologist*, 26, 4, pp 325-338
<Go to ISI>://000175043500006
- Henneberry, T.J., Jech, L.F., & de la Torre, T. (2001)**
Effects of transgenic cotton on mortality and development of pink bollworm (Lepidoptera : Gelechiidae) larvae. *Southwestern Entomologist*, 26, 2, pp 115-128
<Go to ISI>://000170308400002
- Henneberry, T.J., Jech, L.F., & de la Torre, T. (2003)**
Nucotn 33B (R) and Delta and Pineland cottons: Pink bollworm (Lepidoptera : Gelechiidae) infestations and Cry1Ac toxic protein in overwintered and seeded cottons with bioassay mortalities of other lepidopterous larvae. *Southwestern Entomologist*, 28, 4, pp 281-292
<Go to ISI>://000187743500008

- Higginson, D.M., Morin, S., Nyboer, M.E., Biggs, R.W., Tabashnik, B.E., & Carriere, Y. (2005)**
Evolutionary trade-offs of insect resistance to *Bacillus thuringiensis* crops: Fitness cost affecting paternity. *Evolution*, 59, 4, pp 915-920
<Go to ISI>://000228734300019
- High, S.M., Cohen, M.B., Shu, Q.Y., & Altosaar, I. (2004)**
Achieving successful deployment of Bt rice. *Trends in Plant Science*, 9, 6, pp 286-292
<Go to ISI>://000222410400006
- Hilder, V.A. & Boulter, D. (1999)**
Genetic engineering of crop plants for insect resistance - a critical review. *Crop Protection*, 18, 3, pp 177-191
<Go to ISI>://000080154400001
- Hillocks, R.J. (2005)**
Is there a role for Bt cotton in IPM for smallholders in Africa? *International Journal of Pest Management*, 51, 2, pp 131-141
<Go to ISI>://000230649900006
- Hofs, J.L., Hau, B., & Marais, D. (2006)**
Boll distribution patterns in Bt and non-Bt cotton cultivars I. Study on commercial irrigated farming systems in South Africa. *Field Crops Research*, 98, 2-3, pp 203-209
<Go to ISI>://000238320700013
- Hofs, J.L., Hau, B., Marais, D., & Fok, A. (2006)**
Boll distribution patterns in Bt and non-Bt cotton cultivars II. Study on small-scale farming systems in South Africa. *Field Crops Research*, 98, 2-3, pp 210-215
<Go to ISI>://000238320700014
- Hossain, F., Pray, C.E., Lu, Y.M., Huang, J.K., & Fan, C.H. (2004)**
Genetically modified cotton and farmers' health in China. *International Journal of Occupational and Environmental Health*, 10, 3, pp 296-303
<Go to ISI>://000224072400009
- Houdebine, L.M. (2006)**
Genetically modified plants (GMPs) and developing countries. *Cahiers Agricultures*, 15, 2, pp 227-231
<Go to ISI>://000237307200008
- Huang, J.K., Hu, R.F., Pray, C., Qiao, F.B., & Rozelle, S. (2003)**
Biotechnology as an alternative to chemical pesticides: a case study of Bt cotton in China. *Agricultural Economics*, 29, 1, pp 55-67
<Go to ISI>://000184353000005
- Huang, J.K., Hu, R.F., Rozelle, S., Qiao, F.B., & Pray, C.E. (2002)**
Transgenic varieties and productivity of smallholder cotton farmers in China. *Australian Journal of Agricultural and Resource Economics*, 46, 3, pp 367-387
<Go to ISI>://000177646100003
- Huang, J.K., Hu, R.F., van Meijl, H., & van Tongeren, F. (2004)**
Biotechnology boosts to crop productivity in China: trade and welfare implications. *Journal of Development Economics*, 75, 1, pp 27-54
<Go to ISI>://000229755400002
- Hubbell, B.J., Marra, M.C., & Carlson, G.A. (2000)**
Estimating the demand for a new technology: Bt cotton and insecticide policies. *American Journal of Agricultural Economics*, 82, 1, pp 118-132
<Go to ISI>://000085780000010
- Hutchison, W.D. (1999)**
Review and analysis of damage functions and monitoring systems for pink bollworm (*Lepidoptera* : *Gelechiidae*) in southwestern United States cotton. *Southwestern Entomologist*, 24, 4, pp 340-362
<Go to ISI>://000084569500008
- Ismael, Y., Bennett, R., & Morse, S. (2001)**
Farm level impact of Bt cotton in South Africa. *Biotechnology and Development Monitor*, 48, pp 15-19
<Go to ISI>://000173638400006
- Ismael, Y., Bennett, R., & Morse, S. (2002)**
Farm-level economic impact of biotechnology: smallholder Bt cotton farmers in South Africa. *Outlook on Agriculture*, 31, 2, pp 107-111

<Go to ISI>://000176335800004

Ives, A.R. & Andow, D.A. (2002)

Evolution of resistance to Bt crops: directional selection in structured environments. *Ecology Letters*, 5, 6, pp 792-801
<Go to ISI>://000178922200013

Jackson, R.E., Bradley, J.R., Van Duyn, J.W., & Gould, F. (2004)

Comparative production of *Helicoverpa zea* (Lepidoptera : Noctuidae) from transgenic cotton expressing either one or two *Bacillus thuringiensis* proteins with and without insecticide oversprays. *Journal of Economic Entomology*, 97, 5, pp 1719-1725
<Go to ISI>://000224653200031

Jalali, S.K., Mohan, K.S., Singh, S.P., Manjunath, T.M., & Lalitha, Y. (2004)

Baseline-susceptibility of the old-world bollworm, *Helicoverpa armigera* (Hubner) (Lepidoptera : Noctuidae) populations from India to *Bacillus thuringiensis* Cry1Ac insecticidal protein. *Crop Protection*, 23, 1, pp 53-59
<Go to ISI>://000186928800008

Jans, S., Fernandez-Cornejo, J., & Klotz-Ingram, C. (1999)

Farm-level economic and environmental effects of adopting Bt cotton. *American Journal of Agricultural Economics*, 81, 5, pp 1320-1320
<Go to ISI>://000085409000445

Jayaraman, K.S. (2001)

Illegal Bt cotton in India haunts regulators. *Nature Biotechnology*, 19, 12, pp 1090-1090
<Go to ISI>://000172524400004

Jayaraman, K.S. (2002)

Poor crop management plagues Bt cotton experiment in India. *Nature Biotechnology*, 20, 11, pp 1069-1069
<Go to ISI>://000179041500006

Jayaraman, K.S. (2003)

India dawdles over Bt-cotton. *Nature Biotechnology*, 21, 6, pp 590-591
<Go to ISI>://000183220800006

Jayaraman, K.S. (2005)

Indian Bt gene monoculture, potential time bomb. *Nature Biotechnology*, 23, 2, pp 158-158
<Go to ISI>://000226797600004

Jiang, L.J., Duan, L.S., Tian, X.L., Wang, B.M., Zhang, H.F., Zhang, M.C., & Li, Z.H. (2006)

NaCl salinity stress decreased *Bacillus thuringiensis* (Bt) protein content of transgenic Bt cotton (*Gossypium hirsutum* L.) seedlings. *Environmental and Experimental Botany*, 55, 3, pp 315-320
<Go to ISI>://000234704000010

Jurat-Fuentes, J.L., Gould, F.L., & Adang, M.J. (2003)

Dual resistance to *Bacillus thuringiensis* Cry1Ac and Cry2Aa toxins in *Heliothis virescens* suggests multiple mechanisms of resistance. *Applied and Environmental Microbiology*, 69, 10, pp 5898-5906
<Go to ISI>://000185881300022

Kaiser, J. (1996)

Agribiotechnology - Pests overwhelm Bt cotton crop. *Science*, 273, 5274, pp 423-423
<Go to ISI>://A1996UY98300013

Keeley, J. (2006)

Balancing technological innovation and environmental regulation: An analysis of Chinese agricultural biotechnology governance. *Environmental Politics*, 15, 2, pp 293-309
<Go to ISI>://000237241900008

Kharbanda, V.P. (2003)

Genetically modified crops in China - The case of Bt cotton. *Journal of Scientific & Industrial Research*, 62, 10, pp 979-984
<Go to ISI>://000185859700002

Kilpatrick, A.L., Hagerty, A.M., Turnipseed, S.G., Sullivan, M.J., & Bridges, W.C. (2005)

Activity of selected neonicotinoids and dicofthos on nontarget arthropods in cotton: Implications in insect management. *Journal of Economic Entomology*, 98, 3, pp 814-820
<Go to ISI>://000229652600025

Knox, O.G.G., Constable, G.A., Pyke, B., & Gupta, V. (2006)

Environmental impact of conventional and Bt insecticidal cotton expressing one and two Cry genes in Australia. *Australian Journal of Agricultural Research*, 57, 5, pp 501-509

<Go to ISI>://000237579100003

Kranthi, K.R. (2005)

Bollworm resistance to Bt cotton in India. *Nature Biotechnology*, 23, 12, pp 1476-1477

<Go to ISI>://000233866300012

Kranthi, K.R. (2006)

On the variability of Cry1Ac expression in commercialized Bt cotton varieties in India - Response. *Current Science*, 90, 9, pp 1171-1172

<Go to ISI>://000237837500008

Kranthi, K.R., Dhawad, C.S., Naidu, S., Mate, K., Patil, E., & Kranthi, S. (2005)

Bt-cotton seed as a source of *Bacillus thuringiensis* insecticidal Cry1Ac toxin for bioassays to detect and monitor bollworm resistance to Bt-cotton. *Current Science*, 88, 5, pp 796-800

<Go to ISI>://000227821500041

Kranthi, K.R., Dhawad, C.S., Naidu, S.R., Mate, K., Behere, G.T., Wadaskar, R.M., & Kranthi, S. (2006)

Inheritance of resistance in Indian *Helicoverpa armigera* (Hubner) to Cry1Ac toxin of *Bacillus thuringiensis*. *Crop Protection*, 25, 2, pp 119-124

<Go to ISI>://000234532300003

Kranthi, K.R. & Kranthi, N.R. (2004)

Modelling adaptability of cotton bollworm, *Helicoverpa armigera* (Hubner) to Bt-cotton in India. *Current Science*, 87, 8, pp 1096-1107

<Go to ISI>://000224925100025

Kranthi, K.R. & Kranthi, S. (2000)

A sensitive bioassay for the detection of Cry1A toxin expression in transgenic cotton. *Biocontrol Science and Technology*, 10, 5, pp 669-675

<Go to ISI>://000090132300011

Kranthi, K.R., Naidu, S., Dhawad, C.S., Tatwawadi, A., Mate, K., Patil, E., Bharose, A.A., Behere, G.T., Wadaskar, R.M., & Kranthi, S. (2005)

Temporal and intra-plant variability of Cry1Ac expression in Bt-cotton and its influence on the survival of the cotton bollworm, *Helicoverpa armigera* (Hubner) (Noctuidae : Lepidoptera). *Current Science*, 89, 2, pp 291-298

<Go to ISI>://000230981300023

Kranti, K.R. (2006)

Bt-cotton: High toxin level in fruiting parts is most critical for bollworm control. *Current Science*, 90, 3, pp 279-279

<Go to ISI>://000235497600006

Kuosmanen, T., Pemsli, D., & Wesseler, J. (2006)

Specification and estimation of production functions involving damage control inputs: A two-stage, semiparametric approach. *American Journal of Agricultural Economics*, 88, 2, pp 499-511

<Go to ISI>://000236716200017

Layton, M.B. (2000)

Biology and damage of the tarnished plant bug, *Lygus lineolaris*, in cotton. *Southwestern Entomologist*, pp 7-20

<Go to ISI>://000166252400002

Li, G.P., Wu, K.M., Gould, F., Feng, H.Q., He, Y.Z., & Guo, Y.Y. (2004)

Frequency of Bt resistance genes in *Helicoverpa armigera* populations from the Yellow River cotton-farming region of China. *Entomologia Experimentalis Et Applicata*, 112, 2, pp 135-143

<Go to ISI>://000223268800008

Liu, X.D., Zhai, B.P., Zhang, X.X., & Zong, J.M. (2005)

Impact of transgenic cotton plants on a non-target pest, *Aphis gossypii* Glover. *Ecological Entomology*, 30, 3, pp 307-315

<Go to ISI>://000229428500008

Liu, X.X., Zhang, Q.W., Zhao, J.Z., Li, H.C., Xu, B.L., & Ma, X.M. (2005)

Effects of Bt transgenic cotton lines on the cotton bollworm parasitoid *Microplitis mediator* in the laboratory. *Biological Control*, 35, 2, pp 134-141

<Go to ISI>://000232865700005

Liu, Y.B., Tabashnik, B.E., Dennehy, T.J., Carriere, Y., Sims, M.A., & Meyer, S.K. (2002)

Oviposition on and mining in bolls of Bt and non-Bt cotton by resistant and susceptible pink bollworm (Lepidoptera : gelechiidae). *Journal of Economic Entomology*, 95, 1, pp 143-148

<Go to ISI>://000178371100019

- Liu, Y.B., Tabashnik, B.E., Dennehy, T.J., Patin, A.L., Sims, M.A., Meyer, S.K., & Carriere, Y. (2001)**
Effects of Bt cotton and Cry1Ac toxin on survival and development of pink bollworm (Lepidoptera : Gelechiidae).
Journal of Economic Entomology, 94, 5, pp 1237-1242
<Go to ISI>://000171545000031
- Livingston, M.J., Carlson, G.A., & Fackler, P.L. (2004)**
Managing resistance evolution in two pests to two toxins with refugia. American Journal of Agricultural Economics, 86,
1, pp 1-13
<Go to ISI>://000188660400001
- Mackey, M.A. (2003)**
The developing world benefits from plant biotechnology. Journal of Nutrition Education and Behavior, 35, 4, pp 210-
214
<Go to ISI>://000184078900008
- Manjunath, T.M. (2006)**
Bt-cotton: Protein expression in leaves is most critical. Current Science, 90, 3, pp 278-279
<Go to ISI>://000235497600005
- Mansfield, S., Dillon, M.L., & Whitehouse, M.E.A. (2006)**
Are arthropod communities in cotton really disrupted? An assessment of insecticide regimes and evaluation of the
beneficial disruption index. Agriculture Ecosystems & Environment, 113, 1-4, pp 326-335
<Go to ISI>://000235765100032
- Marra, M.C., Hubbell, B.J., & Carlson, G.A. (2001)**
Information quality, technology depreciation, and Bt cotton adoption in the Southeast. Journal of Agricultural and
Resource Economics, 26, 1, pp 158-175
<Go to ISI>://000170430800010
- Mascarenhas, R.N., Boethel, D.J., Leonard, B.R., Boyd, M.L., & Clemens, C.G. (1998)**
Resistance monitoring to Bacillus thuringiensis insecticides for soybean loopers (Lepidoptera : Noctuidae) collected
from soybean and transgenic Bt-cotton. Journal of Economic Entomology, 91, 5, pp 1044-1050
<Go to ISI>://000076738700006
- McGeoch, M.A. & Pringle, K.L. (2005)**
Science and advocacy: the GM debate in South Africa. South African Journal of Science, 101, 1-2, pp 7-9
<Go to ISI>://000229423000004
- Meier, I. (2005)**
Global plant biotechnology and the need for an educated public. Minerva Biotechnologica, 17, 1, pp 21-31
<Go to ISI>://000231035900003
- Mellet, M.A., Schoeman, A.S., Broodryk, S.W., & Hofs, J.L. (2004)**
Bollworm (*Helicoverpa armigera* (Hubner), Lepidoptera : Noctuidae) occurrences in Bt- and non-Bt-cotton fields,
Marble Hall, Mpumalanga, South Africa. African Entomology, 12, 1, pp 107-115
<Go to ISI>://000222117200012
- Men, X., Ge, F., Edwards, C.A., & Yardim, E.N. (2005)**
The influence of pesticide applications on *Helicoverpa armigera* Hubner and sucking pests in transgenic Bt cotton and
non-transgenic cotton in China. Crop Protection, 24, 4, pp 319-324
<Go to ISI>://000227482400003
- Men, X.Y., Ge, F., Edwards, C.A., & Yardim, E.N. (2004)**
Influence of pesticide applications on pest and predatory arthropods associated with transgenic Bt cotton and
nontransgenic cotton plants. Phytoparasitica, 32, 3, pp 246-254
<Go to ISI>://000221555400006
- Men, X.Y., Ge, F., Liu, X.H., & Yardim, E.N. (2003)**
Diversity of arthropod communities in transgenic Bt cotton and nontransgenic cotton agroecosystems. Environmental
Entomology, 32, 2, pp 270-275
<Go to ISI>://000182354100005
- Meng, F.X., Shen, J.L., Zhou, W.J., & Cen, H.M. (2004)**
Long-term selection for resistance to transgenic cotton expressing *Bacillus thuringiensis* toxin in *Helicoverpa armigera*
(Hubner) (Lepidoptera : Noctuidae). Pest Management Science, 60, 2, pp 167-172
<Go to ISI>://000188502300010
- Micinski, S. (2001)**
Relationship between bollworm (Lepidoptera : Noctuidae) pheromone trap catches and yield differences in sprayed
and nonsprayed BT cotton. Southwestern Entomologist, 26, 2, pp 137-142

<Go to ISI>://000170308400004

Moore, S.K. (1999)

Biotech - Study faults EPA's Bt cotton strategy. *Chemical Week*, 161, 30, pp 19-19

<Go to ISI>://000081928100018

Morin, S., Biggs, R.W., Sisterson, M.S., Shriver, L., Ellers-Kirk, C., Higginson, D., Holley, D., Gahan, L.J., Heckel, D.G., Carriere, Y., Dennehy, T.J., Brown, J.K., & Tabashnik, B.E. (2003)

Three cadherin alleles associated with resistance to *Bacillus thuringiensis* in pink bollworm. *Proceedings of the National Academy of Sciences of the United States of America*, 100, 9, pp 5004-5009

<Go to ISI>://000182612600010

Morin, S., Henderson, S., Fabrick, J.A., Carriere, Y., Dennehy, T.J., Brown, J.K., & Tabashnik, B.E. (2004)

DNA-based detection of Bt resistance alleles in pink bollworm. *Insect Biochemistry and Molecular Biology*, 34, 11, pp 1225-1233

<Go to ISI>://000225209200009

Morse, S., Bennett, R., & Ismael, Y. (2004)

Why Bt cotton pays for small-scale producers in South Africa. *Nature Biotechnology*, 22, 4, pp 379-380

<Go to ISI>://000220610100012

Morse, S., Bennett, R.M., & Ismael, Y. (2005)

Genetically modified insect resistance in cotton: some farm level economic impacts in India. *Crop Protection*, 24, 5, pp 433-440

<Go to ISI>://000228352300005

Naranjo, S.E. (2005)

Long-term assessment of the effects of transgenic Bt cotton on the abundance of nontarget arthropod natural enemies. *Environmental Entomology*, 34, 5, pp 1193-1210

<Go to ISI>://000232405800027

Naranjo, S.E. (2005)

Long-term assessment of the effects of transgenic Bt cotton on the function of the natural enemy community. *Environmental Entomology*, 34, 5, pp 1211-1223

<Go to ISI>://000232405800028

Olsen, K.M. & Daly, J.C. (2000)

Plant-toxin interactions in transgenic Bt cotton and their effect on mortality of *Helicoverpa armigera* (Lepidoptera : Noctuidae). *Journal of Economic Entomology*, 93, 4, pp 1293-1299

<Go to ISI>://000088947000034

Olsen, K.M., Daly, J.C., Finnegan, E.J., & Mahon, R.J. (2005)

Changes in Cry1Ac Bt transgenic cotton in response to two environmental factors: temperature and insect damage. *Journal of Economic Entomology*, 98, 4, pp 1382-1390

<Go to ISI>://000231056100040

Olsen, K.M., Daly, J.C., Holt, H.E., & Finnegan, E.J. (2005)

Season-long variation in expression of Cry1Ac gene and efficacy of *Bacillus thuringiensis* toxin in transgenic cotton against *Helicoverpa armigera* (Lepidoptera : Noctuidae). *Journal of Economic Entomology*, 98, 3, pp 1007-1017

<Go to ISI>://000229652600049

Parker, C.D., Mascarenhas, V.J., Luttrell, R.G., & Knighten, K. (2000)

Survival rates of tobacco budworm (Lepidoptera : Noctuidae) larvae exposed to transgenic cottons expressing insecticidal protein of *Bacillus thuringiensis* Berliner. *Journal of Entomological Science*, 35, 2, pp 105-117

<Go to ISI>://000086865600002

Peck, S.L., Gould, F., & Ellner, S.P. (1999)

Spread of resistance in spatially extended regions of transgenic cotton: Implications for management of *Heliothis virescens* (Lepidoptera : Noctuidae). *Journal of Economic Entomology*, 92, 1, pp 1-16

<Go to ISI>://000078588400001

Peferoen, M. (1997)

Progress and prospects for field use of Bt genes in crops. *Trends in Biotechnology*, 15, 5, pp 173-177

<Go to ISI>://A1997WY03200006

Pemsl, D., Waibel, H., & Orphal, J. (2004)

A methodology to assess the profitability of Bt-cotton: case study results from the state of Karnataka, India. *Crop Protection*, 23, 12, pp 1249-1257

<Go to ISI>://000225284500013

- Pierce, J.B., Ellington, J.J., Kirk, C.E., & Carrillo, T. (2002)**
Plant population, planting date and cotton variety impact on early squaring and development of a trap crop for pink bollworm (Lepidoptera : Noctuidae). *Journal of Entomological Science*, 37, 3, pp 219-226
<Go to ISI>://000177510800002
- Pierce, J.B., Flynn, R.P., Yates, P.E., French, C., & Ellers-Kirk, C.D. (2001)**
Variation in plant resistance to cotton bollworm, *Helicoverpa zea* in selected Bt cotton varieties. *Southwestern Entomologist*, 26, 4, pp 353-363
<Go to ISI>://000175043500009
- Pierce, J.P.B., Ellers-Kirk, C.D., Flynn, R.P., & French, C. (1999)**
Variation in beet armyworm susceptibility and plant resistance in selected Bt cotton varieties. *Southwestern Entomologist*, 24, 2, pp 123-131
<Go to ISI>://000081892800006
- Ponsard, S., Gutierrez, A.P., & Mills, N.J. (2002)**
Effect of Bt-toxin (Cry1Ac) in transgenic cotton on the adult longevity of four heteropteran predators. *Environmental Entomology*, 31, 6, pp 1197-1205
<Go to ISI>://000180507400037
- Pray, C., Ma, D.M., Huang, J.K., & Qiao, F.B. (2001)**
Impact of Bt cotton in China. *World Development*, 29, 5, pp 813-825
<Go to ISI>://000168953700005
- Pray, C.E., Huang, J.K., Hu, R.F., & Rozelle, S. (2002)**
Five years of Bt cotton in China - the benefits continue. *Plant Journal*, 31, 4, pp 423-430
<Go to ISI>://000177863400003
- Qaim, M. (2003)**
Bt cotton in India: Field trial results and economic projections. *World Development*, 31, 12, pp 2115-2127
<Go to ISI>://000186804500009
- Qaim, M. & de Janvry, A. (2003)**
Genetically modified crops, corporate pricing strategies, and farmers' adoption: The case of Bt cotton in Argentina. *American Journal of Agricultural Economics*, 85, 4, pp 814-828
<Go to ISI>://000186274300002
- Qaim, M. & De Janvry, A. (2005)**
Bt cotton and pesticide use in Argentina: economic and environmental effects. *Environment and Development Economics*, 10, pp 179-200
<Go to ISI>://000228701800004
- Qaim, M., Subramanian, A., Naik, G., & Zilberman, D. (2006)**
Adoption of Bt cotton and impact variability: Insights from India. *Review of Agricultural Economics*, 28, 1, pp 48-58
<Go to ISI>://000235459400004
- Qaim, M. & Traxler, G. (2005)**
Roundup Ready soybeans in Argentina: farm level and aggregate welfare effects. *Agricultural Economics*, 32, 1, pp 73-86
<Go to ISI>://000226628200006
- Qaim, M. & Zilberman, D. (2003)**
Yield effects of genetically modified crops in developing countries. *Science*, 299, 5608, pp 900-902
<Go to ISI>://000180830900055
- Raney, T. (2006)**
Economic impact of transgenic crops in developing countries. *Current Opinion in Biotechnology*, 17, 2, pp 174-178
<Go to ISI>://000237135800011
- Ren, M.Z., Chen, Q.J., Zhang, R., & Guo, S.D. (2004)**
Structural characteristic and genetic expression of nodulin-like gene and its promoter in cotton. *Acta Botanica Sinica*, 46, 12, pp 1424-1433
<Go to ISI>://000225797900006
- Rogers, L. (2005)**
Sales of GM cotton seeds in India. *Outlook on Agriculture*, 34, 4, pp 271-271
<Go to ISI>://000234972400010
- Romeis, J., Meissle, M., & Bigler, F. (2006)**
Transgenic crops expressing *Bacillus thuringiensis* toxins and biological control. *Nature Biotechnology*, 24, 1, pp 63-71

<Go to ISI>://000234555800025

Rosbach, V., Patanathabutr, P., & Wichitwechkarn, J. (2003)

Copying and manipulating nature: Innovation for textile materials. *Fibers and Polymers*, 4, 1, pp 8-14

<Go to ISI>://000182374700002

Rotman, D. (1996)

Bollworms plague Bt cotton. *Chemical Week*, 158, 29, pp 51-51

<Go to ISI>://A1996VA05100077

Rozelle, S., Huang, J., & Otsuka, K. (2005)

The engines of a viable agriculture: Advances in biotechnology, market accessibility and land rentals in rural China.

China Journal, 53, pp 81-111

<Go to ISI>://000227895200006

Rui, Y.K., Yi, G.X., Zhao, J., Wang, B.M., Li, Z.H., Zhai, Z.X., He, Z.P., & Li, Q.X. (2005)

Changes of Bt toxin in the rhizosphere of transgenic Bt cotton and its influence on soil functional bacteria. *World*

Journal of Microbiology & Biotechnology, 21, 6-7, pp 1279-1284

<Go to ISI>://000233385500074

Russell, D. & Deguine, J.P. (2006)

Sustainability of Bt cotton in China and India. *Cahiers Agricultures*, 15, 1, pp 54-59

<Go to ISI>://000237284200008

Sachs, E.S., Benedict, J.H., Taylor, J.F., Stelly, D.M., Davis, S.K., & Altman, D.W. (1996)

Pyramiding CryIA(b) insecticidal protein and terpenoids in cotton to resist tobacco budworm (Lepidoptera: Noctuidae).

Environmental Entomology, 25, 6, pp 1257-1266

<Go to ISI>://A1996WA85400001

Sadras, V.O. (1998)

Herbivory tolerance of cotton expressing insecticidal proteins from *Bacillus thuringiensis*: responses to damage caused

by *Helicoverpa* spp, and to manual bud removal. *Field Crops Research*, 56, 3, pp 287-299

<Go to ISI>://000074083400006

Sahai, S. (1999)

What is Bt and what is terminator? *Economic and Political Weekly*, 34, 3-4, pp 84-86

<Go to ISI>://000078734400007

Sahai, S. (2003)

The Bt cotton story: The ethics of science and its reportage. *Current Science*, 84, 8, pp 974-975

<Go to ISI>://000182634100009

Sahai, S. & Rahman, S. (2003)

Mahyco-Monsanto's Bt cotton fails to perform. *Current Science*, 85, 4, pp 426-427

<Go to ISI>://000185120000008

Sequeira, R.V. & Playford, C.L. (2001)

Abundance of *Helicoverpa* (Lepidoptera : Noctuidae) pupae under cotton and other crops in central Queensland:

Implications for resistance management. *Australian Journal of Entomology*, 40, pp 264-269

<Go to ISI>://000180064800007

Shantharam, S. & Rao, C.K. (2006)

On the variability of Cry1Ac expression in commercialized Bt cotton varieties in India. *Current Science*, 90, 9, pp 1170-

1171

<Go to ISI>://000237837500007

Sharma, H.C. & Pampapathy, G. (2006)

Influence of transgenic cotton on the relative abundance and damage by target and non-target insect pests under

different protection regimes in India. *Crop Protection*, 25, 8, pp 800-813

<Go to ISI>://000238497000012

Sims, S.R. & Ream, J.E. (1997)

Soil inactivation of the *Bacillus thuringiensis* subsp *kurstaki* CryIIA insecticidal protein within transgenic cotton tissue:

Laboratory microcosm and field studies. *Journal of Agricultural and Food Chemistry*, 45, 4, pp 1502-1505

<Go to ISI>://A1997WU77300083

Sisterson, M.S., Antilla, L., Carriere, Y., Ellers-Kirk, C., & Tabashnik, B.E. (2004)

Effects of insect population size on evolution of resistance to transgenic crops. *Journal of Economic Entomology*, 97,

4, pp 1413-1424

<Go to ISI>://000223431900030

- Sisterson, M.S., Biggs, R.W., Olson, C., Carriere, Y., Dennehy, T.J., & Tabashnik, B.E. (2004)**
Arthropod abundance and diversity in Bt and non-Bt cotton fields. *Environmental Entomology*, 33, 4, pp 921-929
<Go to ISI>://000223650800017
- Sisterson, M.S., Carriere, W., Dennehy, T.J., & Tabashnik, B.E. (2005)**
Evolution of resistance to transgenic crops: Interactions between insect movement and field distribution. *Journal of Economic Entomology*, 98, 6, pp 1751-1762
<Go to ISI>://000233999500001
- Srinivas, K.R. (2002)**
Bt cotton in India: Economic factors versus environmental concerns. *Environmental Politics*, 11, 2, pp 154-158
<Go to ISI>://000177570000008
- Srinivasan, R. & Uthamasamy, S. (2006)**
Temporal variation in expression of toxicity in transgenic cottons against bollworm, *Helicoverpa armigera* (Lepidoptera : Noctuidae). *Indian Journal of Agricultural Sciences*, 76, 2, pp 114-116
<Go to ISI>://000237457300010
- Stewart, S.D., Adamczyk, J.J., Knighten, K.S., & Davis, F.M. (2001)**
Impact of Bt cottons expressing one or two insecticidal proteins of *Bacillus thuringiensis* Berliner on growth and survival of noctuid (Lepidoptera) larvae. *Journal of Economic Entomology*, 94, 3, pp 752-760
<Go to ISI>://000169234700022
- Stone, G.D. (2004)**
Biotechnology and the political ecology of information in India. *Human Organization*, 63, 2, pp 127-140
<Go to ISI>://000222058100001
- Storer, N.P., Peck, S.L., Gould, F., Van Duyn, J.W., & Kennedy, G.G. (2003)**
Spatial processes in the evolution of resistance in *Helicoverpa zea* (Lepidoptera : Noctuidae) to Bt transgenic corn and cotton in a mixed agroecosystem: a biology-rich stochastic simulation model. *Journal of Economic Entomology*, 96, 1, pp 156-172
<Go to ISI>://000180967000023
- Sumerford, D.V. (2003)**
Larval development of *Spodoptera exigua* (Lepidoptera : Noctuidae) larvae on artificial diet and cotton leaves containing a *Bacillus thuringiensis* toxin: Heritable variation to tolerate CRY1AC. *Florida Entomologist*, 86, 3, pp 295-299
<Go to ISI>://000186085700007
- Sumerford, D.V. & Solomon, W.L. (2000)**
Growth of wild *Pseudoplusia includens* (Lepidoptera : Noctuidae) larvae collected from Bt and non-Bt cotton. *Florida Entomologist*, 83, 3, pp 354-357
<Go to ISI>://000089535100016
- Sun, J., Tang, C.M., Zhu, X.F., Guo, W.Z., Zhang, T.Z., Zhou, W.J., Meng, F.X., & Sheng, J.L. (2002)**
Characterization of resistance to *Helicoverpa armigera* in three lines of transgenic Bt Upland cotton. *Euphytica*, 123, 3, pp 343-351
<Go to ISI>://000174840900006
- Tabashnik, B.E., Biggs, R.W., Higginson, D.M., Henderson, S., Unnithan, D.C., Unnithan, G.C., Eilers-Kirk, C., Sisterson, M.S., Dennehy, T.J., Carriere, Y., & Morin, S. (2005)**
Association between resistance to Bt cotton and cadherin genotype in pink bollworm. *Journal of Economic Entomology*, 98, 3, pp 635-644
<Go to ISI>://000229652600001
- Tabashnik, B.E., Dennehy, T.J., & Carriere, Y. (2005)**
Delayed resistance to transgenic cotton in pink bollworm. *Proceedings of the National Academy of Sciences of the United States of America*, 102, 43, pp 15389-15393
<Go to ISI>://000232929400024
- Tabashnik, B.E., Dennehy, T.J., Carriere, Y., Liu, Y.B., Meyer, S.K., Patin, A., Sims, M., & Eilers-Kirk, C. (2003)**
Resistance management: Slowing pest adaptation to transgenic crops. *Acta Agriculturae Scandinavica Section B-Soil and Plant Science*, 53, pp 51-56
<Go to ISI>://000186775300010
- Tabashnik, B.E., Dennehy, T.J., Carriere, Y., Patin, A.L., Liu, Y.B., Meyer, S.K., & Sims, M.A. (2000)**
Pink bollworm resistance to BT cotton: Got refuge? Abstracts of Papers of the American Chemical Society, 219, pp U65-U65
<Go to ISI>://000087246100231

- Tabashnik, B.E., Gould, F., & Carriere, Y. (2004)**
Delaying evolution of insect resistance to transgenic crops by decreasing dominance and heritability. *Journal of Evolutionary Biology*, 17, 4, pp 904-912
<Go to ISI>://000222052100021
- Tabashnik, B.E., Liu, Y.B., Unnithan, D.C., Carriere, W., Dennehy, T.J., & Morin, S. (2004)**
Shared genetic basis of resistance to bt toxin Cry1Ac in independent strains of pink bollworm. *Journal of Economic Entomology*, 97, 3, pp 721-726
<Go to ISI>://000222315200001
- Tabashnik, B.E., Patin, A.L., Dennehy, T.J., Liu, Y.B., Miller, E., & Staten, R.T. (1999)**
Dispersal of pink bollworm (Lepidoptera : Gelechiidae) males in transgenic cotton that produces a *Bacillus thuringiensis* toxin. *Journal of Economic Entomology*, 92, 4, pp 772-780
<Go to ISI>://000082361100004
- Tan, S.J., Chen, X.F., Li, D.M., & Zhang, H.Z. (2001)**
Can other host species of cotton bollworm be non-Bt refuges to prolong the effectiveness of Bt-cotton? *Chinese Science Bulletin*, 46, 21, pp 1804-1808
<Go to ISI>://000172469000011
- Tang, C.M., Sun, J., Zhu, X.F., Guo, W.Z., Zhang, T.Z., Shen, J.L., Gao, C.F., Zhou, W.J., Chen, Z.X., & Guo, S.D. (2000)**
Inheritance of resistance to *Helicoverpa armigera* of 3 kinds of transgenic Bt strains available in upland cotton in China. *Chinese Science Bulletin*, 45, 4, pp 363-367
<Go to ISI>://000085980600015
- Thirtle, C., Beyers, L., Ismael, Y., & Piesse, J. (2003)**
Can GM-technologies help the poor? The impact of Bt cotton in Makhathini Flats, KwaZulu-Natal. *World Development*, 31, 4, pp 717-732
<Go to ISI>://000182185000004
- Toenniessen, G.H., O'Toole, J.C., & DeVries, J. (2003)**
Advances in plant biotechnology and its adoption in developing countries. *Current Opinion in Plant Biology*, 6, 2, pp 191-198
<Go to ISI>://000182178700016
- Torres, J.B. & Ruberson, J.R. (2005)**
Canopy- and ground-dwelling predatory arthropods in commercial Bt and non-Bt cotton fields: Patterns and mechanisms. *Environmental Entomology*, 34, 5, pp 1242-1256
<Go to ISI>://000232405800030
- Torres, J.B. & Ruberson, J.R. (2006)**
Spatial and temporal dynamics of oviposition behavior of bollworm and three of its predators in Bt and non-Bt cotton fields. *Entomologia Experimentalis Et Applicata*, 120, 1, pp 11-22
<Go to ISI>://000238253400002
- Vacher, C., Bourguet, D., Rousset, F., Chevillon, C., & Hochberg, M.E. (2003)**
Modelling the spatial configuration of refuges for a sustainable control of pests: a case study of Bt cotton. *Journal of Evolutionary Biology*, 16, 3, pp 378-387
<Go to ISI>://000182322200002
- Vaissayre, M., Ochou, G.O., Hema, O.S.A., & Togola, M. (2006)**
Changing strategies for sustainable management of cotton pests in sub-Saharan Africa. *Cahiers Agricultures*, 15, 1, pp 80-84
<Go to ISI>://000237284200012
- Wan, P., Wu, K., Huang, M., & Wu, J. (2004)**
Seasonal pattern of infestation by pink bollworm *Pectinophora gossypiella* (Saunders) in field plots of Bt transgenic cotton in the Yangtze River valley of China. *Crop Protection*, 23, 5, pp 463-467
<Go to ISI>://000220524200012
- Wan, P., Zhang, Y.J., Wu, K.M., & Huang, M.S. (2005)**
Seasonal expression profiles of insecticidal protein and control efficacy against *Helicoverpa armigera* for Bt cotton in the Yangtze River Valley of China. *Journal of Economic Entomology*, 98, 1, pp 195-201
<Go to ISI>://000226816100025
- Whitehouse, M.E.A., Wilson, L.J., & Fitt, G.P. (2005)**
A comparison of arthropod communities in transgenic Bt and conventional cotton in Australia. *Environmental Entomology*, 34, 5, pp 1224-1241

<Go to ISI>://000232405800029

Williamson, S., Ferrigno, S., & Vodouhe, S.D. (2005)

Needs-based decision-making for cotton problems in Africa: A response to Hillocks. *International Journal of Pest Management*, 51, 4, pp 219-224

<Go to ISI>://000234237800001

Wu, K., Feng, H., & Guo, Y. (2004)

Evaluation of maize as a refuge for management of resistance to Bt cotton by *Helicoverpa armigera* (Hubner) in the Yellow River cotton-farming region of China. *Crop Protection*, 23, 6, pp 523-530

<Go to ISI>://000221156800006

Wu, K., Li, W., Feng, H., & Guo, Y. (2002)

Seasonal abundance of the mirids, *Lygus lucorum* and *Adelphocoris* spp. (Hemiptera : Miridae) on Bt cotton in northern China. *Crop Protection*, 21, 10, pp 997-1002

<Go to ISI>://000179777300015

Wu, K.M., Gu, Y.Y., & Head, G. (2006)

Resistance monitoring of *Helicoverpa armigera* (Lepidoptera : Noctuidae) to Bt insecticidal protein during 2001-2004 in China. *Journal of Economic Entomology*, 99, 3, pp 893-898

<Go to ISI>://000238234500042

Wu, K.M. & Guo, Y.Y. (2003)

Influences of *Bacillus thuringiensis* Berliner cotton planting on population dynamics of the cotton aphid, *Aphis gossypii* Glover, in northern China. *Environmental Entomology*, 32, 2, pp 312-318

<Go to ISI>://000182354100010

Wu, K.M. & Guo, Y.Y. (2004)

Changes in susceptibility to conventional insecticides of a Cry1Ac-selected population of *Helicoverpa armigera* (Hubner) (Lepidoptera : Noctuidae). *Pest Management Science*, 60, 7, pp 680-684

<Go to ISI>://000222381500010

Wu, K.M. & Guo, Y.Y. (2005)

The evolution of cotton pest management practices in China. *Annual Review of Entomology*, 50, pp 31-52

<Go to ISI>://000226708000003

Wu, K.M., Guo, Y.Y., & Gao, S.S. (2002)

Evaluation of the natural refuge function for *Helicoverpa armigera* (Lepidoptera : Noctuidae) within *Bacillus thuringiensis* transgenic cotton growing areas in north China. *Journal of Economic Entomology*, 95, 4, pp 832-837

<Go to ISI>://000177448000026

Wu, K.M., Guo, Y.Y., Lv, N., Greenplate, J.T., & Deaton, R. (2002)

Resistance monitoring of *Helicoverpa armigera* (Lepidoptera : Noctuidae) to *Bacillus thuringiensis* insecticidal protein in China. *Journal of Economic Entomology*, 95, 4, pp 826-831

<Go to ISI>://000177448000025

Wu, K.M., Guo, Y.Y., Lv, N., Greenplate, J.T., & Deaton, R. (2003)

Efficacy of transgenic cotton containing a cry1Ac gene from *Bacillus thuringiensis* against *Helicoverpa armigera* (Lepidoptera : Noctuidae) in Northern China. *Journal of Economic Entomology*, 96, 4, pp 1322-1328

<Go to ISI>://000185018100037

Wu, K.M., Mu, W., Liang, G.M., & Guo, Y.Y. (2005)

Regional reversion of insecticide resistance in *Helicoverpa armigera* (Lepidoptera : Noctuidae) is associated with the use of Bt cotton in northern China. *Pest Management Science*, 61, 5, pp 491-498

<Go to ISI>://000228568700008

Xu, X.J., Yu, L.Y., & Wu, Y.D. (2005)

Disruption of a cadherin gene associated with resistance to Cry1Ac delta-endotoxin of *Bacillus thuringiensis* in *Helicoverpa armigera*. *Applied and Environmental Microbiology*, 71, 2, pp 948-954

<Go to ISI>://000227043400045

Xue, D.Y. & Tisdell, C. (2002)

Global trade in GM food and the Cartagena Protocol on Biosafety: Consequences for China. *Journal of Agricultural & Environmental Ethics*, 15, 4, pp 337-356

<Go to ISI>://000180319100001

Yamaguchi, T. & Harris, C.K. (2004)

The economic hegemonization of Bt cotton discourse in India. *Discourse & Society*, 15, 4, pp 467-491

<Go to ISI>://000222830900007

- Yan, F., Bengtsson, M., Anderson, P., Ansebo, L., Xu, C., & Witzgall, P. (2004)**
Antennal response of cotton bollworm (*Helioverpa armigera*) to volatiles in transgenic Bt cotton. *Journal of Applied Entomology*, 128, 5, pp 354-357
<Go to ISI>://000221950300007
- Yang, P.Y., Iles, M., Yan, S., & Jolliffe, F. (2005)**
Farmers' knowledge, perceptions and practices in transgenic Bt cotton in small producer systems in Northern China. *Crop Protection*, 24, 3, pp 229-239
<Go to ISI>://000226959500005
- Yang, P.Y., Li, K.W., Shi, S.B., Xia, J.Y., Guo, R., Li, S.S., & Wang, L.B. (2005)**
Impacts of transgenic Bt cotton and integrated pest management education on smallholder cotton farmers. *International Journal of Pest Management*, 51, 4, pp 231-244
<Go to ISI>://000234237800003
- Zhang, B.H., Pan, X.P., Guo, T.L., Wang, Q.L., & Anderson, T.A. (2005)**
Measuring gene flow in the cultivation of transgenic cotton (*Gossypium hirsutum* L.). *Molecular Biotechnology*, 31, 1, pp 11-20
<Go to ISI>://000231720100002
- Zhang, B.H. & Wang, Q.L. (2000)**
Managing insect resistance to transgenic Bt-cotton. *Abstracts of Papers of the American Chemical Society*, 220, pp U32-U32
<Go to ISI>://000166091200076
- Zhang, B.H. & Wang, Q.L. (2001)**
Bt-cotton in china. *Current Science*, 81, 4, pp 332-333
<Go to ISI>://000170696000005
- Zhang, B.H., Wang, Q.L., Wang, K.B., Zhou, D.Y., & Liu, F. (2004)**
Bt cotton in India. *Current Science*, 86, 6, pp 758-760
<Go to ISI>://000220700300005
- Zhang, G.F., Wan, F.H., Liu, W.X., & Guo, H.Y. (2006)**
Early instar response to plant-delivered Bt-toxin in a herbivore (*Spodoptera litura*) and a predator (*Propylaea japonica*). *Crop Protection*, 25, 6, pp 527-533
<Go to ISI>://000237762200002
- Zhang, G.F., Wan, F.H., Lovei, G.L., Liu, W.X., & Guo, J.Y. (2006)**
Transmission of Bt toxin to the predator *Propylaea japonica* (Coleoptera : Coccinellidae) through its aphid prey feeding on transgenic Bt cotton. *Environmental Entomology*, 35, 1, pp 143-150
<Go to ISI>://000235402700017
- Zhang, J.H., Wang, C.Z., Qin, J.D., & Guo, S.D. (2004)**
Feeding behaviour of *Helicoverpa armigera* larvae on insect-resistant transgenic cotton and non-transgenic cotton. *Journal of Applied Entomology*, 128, 3, pp 218-225
<Go to ISI>://000220855500010
- Zhang, S.Y., Li, D.M., Cui, J., & Xie, B.Y. (2006)**
Effects of Bt-toxin Cry1Ac on *Propylaea japonica* Thunberg (Col., Coccinellidae) by feeding on Bt-treated Bt-resistant *Helicoverpa armigera* (Hubner) (Lep., Noctuidae) larvae. *Journal of Applied Entomology*, 130, 4, pp 206-212
<Go to ISI>://000236910800002
- Zhang, S.Y., Xie, B.Y., Cui, J., & Li, D.M. (2006)**
Biology of *Campeletis chlorideae* (Uchida) (Hym., Ichneumonidae) developing in Bt-treated, Bt-resistant *Helicoverpa armigera* (Hubner) (Lep., Noctuidae) larvae. *Journal of Applied Entomology*, 130, 5, pp 268-274
<Go to ISI>://000237693600003