

**Bibliography extracted from the Web of Science 21. August 2004,
keywords Maize, Mycotoxin, Fumonisin, transgenic
Klaus Ammann, klaus.ammann@ips.unibe.ch**

Abbas, H.K., Williams, W.P., Windham, G.L., Pringle, H.C., Xie, W.P., & Shier, W.T. (2002)

Aflatoxin and fumonisin contamination of commercial corn (*Zea mays*) hybrids in Mississippi. *Journal of Agricultural and Food Chemistry*, 50, 18, pp 5246-5254
<Go to ISI>://000177659300040

Abnet, C.C., Borkowf, C.B., Qiao, Y.L., Albert, P.S., Wang, E., Merrill, A.H., Mark, S.D., Dong, Z.W., Taylor, P.R., & Dawsey, S.M. (2001)

Sphingolipids as biomarkers of fumonisin exposure and risk of esophageal squamous cell carcinoma in China. *Cancer Causes & Control*, 12, 9, pp 821-828
<Go to ISI>://000171398000007

Abou-Karam, M., Abbas, H.K., & Shier, W.T. (2004)

N-fatty acylation of hydrolyzed fumonisin B-1, but not of intact fumonisin B-1, strongly enhances in vitro mammalian toxicity. *Journal of Toxicology-Toxin Reviews*, 23, 1, pp 123-151
<Go to ISI>://000220954300006

Abramson, D., Richter, W., Rintelen, J., Sinha, R.N., & Schuster, M. (1992)

Ochratoxin-a Production in Bavarian Cereal-Grains Stored at 15- Percent and 19-Percent Moisture-Content. *Archives of Environmental Contamination and Toxicology*, 23, 2, pp 259-265
<Go to ISI>://A1992JF10900017

Ajanga, S. & Hillocks, R.J. (2000)

Maize cob rot in Kenya and its association with stalk borer damage. *Crop Protection*, 19, 5, pp 297-300
<Go to ISI>://000087558300003

Ajanwachukwu, J. & Emejuaiwe, S.O. (1994)

Aflatoxin-Producing Fungi Associated with Nigerian Maize. *Environmental Toxicology and Water Quality*, 9, 1, pp 17-23
<Go to ISI>://A1994MT49300003

Almeida, A.P., Correa, B., Mallozzi, M.A.B., Sawazaki, E., & Soares, L.M.V. (2000)

Mycoflora and aflatoxin/fumonisin production by fungal isolates from freshly harvested corn hybrids. *Brazilian Journal of Microbiology*, 31, 4, pp 321-326
<Go to ISI>://000168374000016

Almeida, A.P., Fonseca, H., Fancelli, A.L., Direito, G.M., Ortega, E.M., & Correa, B. (2002)

Mycoflora and fumonisin contamination in Brazilian corn from sowing to harvest. *Journal of Agricultural and Food Chemistry*, 50, 13, pp 3877-3882
<Go to ISI>://000176267800041

Aly, S.E. (2002)

Distribution of aflatoxins in product and by-products during glucose production from contaminated corn. *Nahrung-Food*, 46, 5, pp 341-344
<Go to ISI>://000178827700009

Ambrosino, P., Galvano, F., Fogliano, V., Logrieco, A., Fresa, R., & Ritieni, A. (2004)

Supercritical fluid extraction of Beauvericin from maize. *Talanta*, 62, 3, pp 523-530
<Go to ISI>://000188705600013

Ames, B.N. & Gold, L.S. (2000)

Paracelsus to parascience: the environmental cancer distraction. *Mutation Research-Fundamental and Molecular Mechanisms of Mutagenesis*, 447, 1, pp 3-13
<http://www.botanischergarten.ch/Mycotoxins/Paracelsus.pdf>

Amsellem, Z., Barghouti, S., Cohen, B., Goldwasser, Y., Gressel, J., Hornok, L., Kerényi, Z., Kleifeld, Y., Klein, O., Kroschel, J., Sauerborn, J., Muller-Stover, D., Thomas, H., Vurro, M., & Zonno, M.C. (2001)

Recent advances in the biocontrol of *Orobanche* (broomrape) species. *Biocontrol*, 46, 2, pp 211-228
<Go to ISI>://000169125100007

- Annis, S.L., Velasquez, L., Xu, H.X., Hammerschmidt, R., Linz, J., & Trail, F. (2000)**
Novel procedure for identification of compounds inhibitory to transcription of genes involved in mycotoxin biosynthesis. *Journal of Agricultural and Food Chemistry*, 48, 10, pp 4656-4660
<Go to ISI>://000089957200032
- Aranda, M., Perez-Alzola, L., Ellahuene, M., & Sepulveda, C. (2000)**
Assessment of in vitro mutagenicity in Salmonella and in vivo genotoxicity in mice of the mycotoxin fumonisin B-1. *Mutagenesis*, 15, 6, pp 469-471
<Go to ISI>://000165727300003
- Arranz, I., Baeyens, W.R.G., Van der Weken, G., De Saeger, S., & Van Peteghem, C. (2004)**
Review: HPLC determination of fumonisin mycotoxins. *Critical Reviews in Food Science and Nutrition*, 44, 3, pp 195-203
<Go to ISI>://000221761000005
- Asran, M.R. & Buchenauer, H. (2002)**
Virulence of *Fusarium moniliforme* isolates on maize plants in relation to fumonisin and ergosterol levels. *Zeitschrift Fur Pflanzenkrankheiten Und Pflanzenschutz-Journal of Plant Diseases and Protection*, 109, 5, pp 491-505
<Go to ISI>://000178639300005
- Asran, M.R. & Buchenauer, H. (2003)**
Pathogenicity of *Fusarium graminearum* isolates on maize (*Zea mays* L.) cultivars and relation with deoxynivalenol and ergosterol contents. *Zeitschrift Fur Pflanzenkrankheiten Und Pflanzenschutz-Journal of Plant Diseases and Protection*, 110, 3, pp 209-219
<Go to ISI>://000184592100001
- Atia, M.M.M. (2004)**
Rice false smut (*Ustilagoidea vires*) in Egypt. *Zeitschrift Fur Pflanzenkrankheiten Und Pflanzenschutz-Journal of Plant Diseases and Protection*, 111, 1, pp 71-82
<Go to ISI>://000220551000006
- Auerbach, H., Oldenburg, E., & Weissbach, F. (1998)**
Incidence of *Penicillium roqueforti* and roquefortine C in silages. *Journal of the Science of Food and Agriculture*, 76, 4, pp 565-572
<Go to ISI>://000073338100013
- Avantaggiato, G., Quaranta, F., Desiderio, E., & Visconti, A. (2003)**
Fumonisin contamination of maize hybrids visibly damaged by *Sesamia*. *Journal of the Science of Food and Agriculture*, 83, 1, pp 13-18
<Go to ISI>://000180409900003
- Aziz, N.H., El-Zeany, S.A., & Moussa, L.A.A. (2002)**
Influence of gamma-irradiation and maize lipids on the production of aflatoxin B-1 by *Aspergillus flavus*. *Nahrung-Food*, 46, 5, pp 327-331
<Go to ISI>://000178827700006
- Aziz, N.H. & Mahrous, S.R. (2004)**
Effect of gamma-irradiation on aflatoxin B-1 production by *Aspergillus flavus* and chemical composition of three crop seeds. *Nahrung-Food*, 48, 3, pp 234-238
<Go to ISI>://000222548400016
- Aziz, N.H. & Smyk, B. (2002)**
Influence of UV radiation and nitrosamines on the induction of mycotoxins synthesis by nontoxicogenic moulds isolated from feed samples. *Nahrung-Food*, 46, 2, pp 118-121
<Go to ISI>://000175245800015
- Bacon, C.W. & Hinton, D.M. (1996)**
Symptomless endophytic colonization of maize by *Fusarium moniliforme*. *Canadian Journal of Botany-Revue Canadienne De Botanique*, 74, 8, pp 1195-1202
<Go to ISI>://A1996VE13600001
- Bacon, C.W. & Hinton, D.M. (2002)**
Endophytic and biological control potential of *Bacillus mojavensis* and related species. *Biological Control*, 23, 3, pp 274-284
<Go to ISI>://000174354900009
- Bacon, C.W., Hinton, D.M., & Richardson, M.D. (1994)**
A Corn Seedling Assay for Resistance to *Fusarium-Moniliforme*. *Plant Disease*, 78, 3, pp 302-305
<Go to ISI>://A1994MZ39700019
- Bacon, C.W. & Nelson, P.E. (1994)**
Fumonisin Production in Corn by Toxicogenic Strains of *Fusarium-Moniliforme* and *Fusarium-Proliferatum*. *Journal of Food Protection*, 57, 6, pp 514-521
<Go to ISI>://A1994NR98700013

- Bacon, C.W., Yates, I.E., Hinton, D.M., & Meredith, F. (2001)**
Biological control of *Fusarium moniliforme* in maize. *Environmental Health Perspectives*, 109, pp 325-332
<Go to ISI>://000168824500021
- Bakan, B., Bily, A.C., Melcion, D., Cahagnier, B., Regnault-Roger, C., Philogene, B.J.R., & Richard-Molard, D. (2003)**
Possible role of plant phenolics in the production of Trichothecenes by *Fusarium graminearum* strains on different fractions of maize kernels. *Journal of Agricultural and Food Chemistry*, 51, 9, pp 2826-2831
<Go to ISI>://000182335200064
- Bakan, B., Melcion, D., Richard-Molard, D., & Cahagnier, B. (2002)**
Fungal growth and *Fusarium* mycotoxin content in isogenic traditional maize and genetically modified maize grown in France and Spain. *Journal of Agricultural and Food Chemistry*, 50, 4, pp 728-731
<Go to ISI>://000173783700013
- Balachandran, C. & Parthasarathy, K.R. (1996)**
Occurrence of cyclopiazonic acid in feeds and feedstuffs in Tamil Nadu, India. *Mycopathologia*, 133, 3, pp 159-162
<Go to ISI>://A1996VK29900006
- Bankole, S.A. & Mabekoje, O.O. (2004)**
Mycoflora and occurrence of aflatoxin B-1 in dried yam chips from markets in Ogun and Oyo States, Nigeria. *Mycopathologia*, 157, 1, pp 111-115
<Go to ISI>://000188120500014
- Bankole, S.A. & Mabekoje, O.O. (2004)**
Occurrence of aflatoxins and fumonisins in preharvest maize from south-western Nigeria. *Food Additives and Contaminants*, 21, 3, pp 251-255
<Go to ISI>://000189258000007
- Bata, A., Rafai, P., & Kovacs, G. (2001)**
Investigation and a new evaluation method of the resistance of maize hybrids grown in Hungary to *Fusarium* moulds. *Journal of Phytopathology-Phytopathologische Zeitschrift*, 149, 2, pp 107-111
<Go to ISI>://000167375100008
- Becker, B., Bresch, H., Schillinger, U., & Thiel, P.G. (1997)**
The effect of fumonisin B-1 on the growth of bacteria. *World Journal of Microbiology & Biotechnology*, 13, 5, pp 539-543
<Go to ISI>://A1997XX40600009
- Beekrum, S., Govinden, R., Padayachee, T., & Odhav, B. (2003)**
Naturally occurring phenols: a detoxification strategy for fumonisin B-1. *Food Additives and Contaminants*, 20, 5, pp 490-493
<Go to ISI>://000183421500009
- Betran, F.J. & Isakeit, T. (2004)**
Aflatoxin accumulation in maize hybrids of different maturities. *Agronomy Journal*, 96, 2, pp 565-570
<Go to ISI>://000220382200030
- Betran, F.J., Isakeit, T., & Odvody, G. (2002)**
Aflatoxin accumulation of white and yellow maize inbreds in diallel crosses. *Crop Science*, 42, 6, pp 1894-1901
<Go to ISI>://000181430200018
- Bhatnagar, S., Betran, F.J., & Transue, D.K. (2003)**
Agronomic performance, aflatoxin accumulation and protein quality of subtropical and tropical QPM hybrids in southern US. *Maydica*, 48, 2, pp 113-124
<Go to ISI>://000185935000004
- Bilgrami, K.S., Misra, R.S., Prasad, T., & Sinha, K.K. (1978)**
Mycotoxin Problem in Standing Maize Crop in Bihar. *National Academy Science Letters-India*, 1, 4, pp 124-&
<Go to ISI>://A1978FZ24900002
- Blaney, B.J. & Dodman, R.L. (2002)**
Production of zearalenone, deoxynivalenol, nivalenol, and acetylated derivatives by Australian isolates of *Fusarium graminearum* and *F-pseudograminearum* in relation to source and culturing conditions. *Australian Journal of Agricultural Research*, 53, 12, pp 1317-1326
<Go to ISI>://000179858800004
- Blaney, B.J. & Williams, K.C. (1991)**
Effective Use in Livestock Feeds of Moldy and Weather-Damaged Grain Containing Mycotoxins - Case-Histories and Economic Assessments Pertaining to Pig and Poultry Industries of Queensland. *Australian Journal of Agricultural Research*, 42, 6, pp 993-1012
<Go to ISI>://A1991GB55000005
- Boenke, A. (1998)**
Method validation for mycotoxin determinations in food and feedstuffs. *Trac-Trends in Analytical Chemistry*, 17, 1, pp 10-17
<Go to ISI>://000071718400009

- Bouhet, S., Hourcade, E., Loiseau, N., Fikry, A., Martinez, S., Roselli, M., Galtier, P., Mengheri, E., & Oswald, I.P. (2004)**
The mycotoxin fumonisin B-1 alters the proliferation and the barrier function of porcine intestinal epithelial cells. *Toxicological Sciences*, 77, 1, pp 165-171
<Go to ISI>://000187988800021
- Braun, J., Chery, J., Poliakov, A., Mainprice, D., Vauchez, A., Tomassi, A., & Daignieres, M. (1999)**
A simple parameterization of strain localization in the ductile regime due to grain size reduction: A case study for olivine. *Journal of Geophysical Research-Solid Earth*, 104, B11, pp 25167-25181
<Go to ISI>://000083653600001
- Bravo, J.M., Campo, S., Murillo, I., Coca, M., & Segundo, B.S. (2003)**
Fungus- and wound-induced accumulation of mRNA containing a class II chitinase of the pathogenesis-related protein 4 (PR-4) family of maize. *Plant Molecular Biology*, 52, 4, pp 745-759
<Go to ISI>://000184576800004
- Brera, C., Debegnach, F., Grossi, S., & Miraglia, M. (2004)**
Effect of industrial processing on the distribution of fumonisin B-1 in dry milling corn fractions. *Journal of Food Protection*, 67, 6, pp 1261-1266
<Go to ISI>://000221897200030
- Brown, R.L., Brown-Jenco, C.S., Bhatnagar, D., & Payne, G.A. (2003)**
Construction and preliminary evaluation of an *Aspergillus flavus* reporter gene construct as a potential tool for screening aflatoxin resistance. *Journal of Food Protection*, 66, 10, pp 1927-1931
<Go to ISI>://000185821500028
- Brown, R.L., Chen, Z.Y., Menkir, A., Cleveland, T.E., Cardwell, K., Kling, J., & White, D.G. (2001)**
Resistance to aflatoxin accumulation in kernels of maize inbreds selected for ear rot resistance in West and Central Africa. *Journal of Food Protection*, 64, 3, pp 396-400
<Go to ISI>://000167326800020
- Brown, R.L., Cleveland, T.E., Payne, G.A., Woloshuk, C.P., Campbell, K.W., & White, D.G. (1995)**
Determination of Resistance to Aflatoxin Production in Maize Kernels and Detection of Fungal Colonization Using an *Aspergillus-Flavus* Transformant Expressing *Escherichia-Coli* Beta-Glucuronidase. *Phytopathology*, 85, 9, pp 983-989
<Go to ISI>://A1995RY28900009
- Brown, R.L., Cleveland, T.E., Woloshuk, C.P., Payne, G.A., & Bhatnagar, D. (2001)**
Growth inhibition of a *Fusarium verticillioides* GUS strain in corn kernels of aflatoxin-resistant genotypes. *Applied Microbiology and Biotechnology*, 57, 5-6, pp 708-711
<Go to ISI>://000172959700018
- Bruns, H.A. (2003)**
Controlling aflatoxin and fumonisin in maize by crop management. *Journal of Toxicology-Toxin Reviews*, 22, 2-3, pp 153-173
<Go to ISI>://000185165300003
- Bruns, H.A. & Abbas, H.K. (2003)**
Effects of plant populations on maize hybrids in the sub-tropical Mid South USA. *Maydica*, 48, 1, pp 21-27
<Go to ISI>://000183623100004
- Bruns, H.A. & Abbas, H.K. (2004)**
Effects of harvest date on maize in the humid sub-tropical mid-south USA. *Maydica*, 49, 1, pp 1-7
<Go to ISI>://000222736300001
- Buerstmayr, H., Lemmens, M., Hartl, L., Doldi, L., Steiner, B., Stierschneider, M., & Ruckebauer, P. (2002)**
Molecular mapping of QTLs for *Fusarium* head blight resistance in spring wheat. I. Resistance to fungal spread (type II resistance). *Theoretical and Applied Genetics*, 104, 1, pp 84-91
<Go to ISI>://000173851500010
- Burow, G.B., Gardner, H.W., & Keller, N.P. (2000)**
A peanut seed lipoxygenase responsive to *Aspergillus* colonization. *Plant Molecular Biology*, 42, 5, pp 689-701
<Go to ISI>://000086411400003
- Burow, G.B., Nesbitt, T.C., Dunlap, J., & Keller, N.P. (1997)**
Seed lipoxygenase products modulate *Aspergillus* mycotoxin biosynthesis. *Molecular Plant-Microbe Interactions*, 10, 3, pp 380-387
<Go to ISI>://A1997WQ78800008
- Bush, B.J., Carson, M.L., Cubeta, M.A., Hagler, W.M., & Payne, G.A. (2004)**
Infection and fumonisin production by *Fusarium verticillioides* in developing maize kernels. *Phytopathology*, 94, 1, pp 88-93
<Go to ISI>://000220532100009
- Butron, A., Li, R.G., Guo, B.Z., Widstrom, N.W., Snook, M.E., Cleveland, T.E., & Lynch, R.E. (2001)**
Molecular markers to increase corn earworm resistance in a maize population. *Maydica*, 46, 2, pp 117-124
<Go to ISI>://000170645200007

- Caldas, E.D., Silva, S.C., & Oliveira, J.N. (2002)**
Aflatoxins and ochratoxin A in food and the risks to human health. *Revista De Saude Publica*, 36, 3, pp 319-323
<Go to ISI>://000177436900010
- Camargos, S.M., Soares, L.M.V., Sawazaki, E., Bolonhezi, D., Castro, J.L., & Bortolletto, N. (2002)**
Accumulation of fumonisins B-1 and B-2 in freshly harvested Brazilian commercial maize at three locations during two nonconsecutive seasons. *Mycopathologia*, 155, 4, pp 219-228
<Go to ISI>://000180440600008
- Campbell, K.W., Hamblin, A.M., & White, D.G. (1997)**
Inheritance of resistance to aflatoxin production in the cross between corn inbreds B73 and LB31. *Phytopathology*, 87, 11, pp 1144-1147
<Go to ISI>://A1997YD86700009
- Campbell, K.W. & White, D.G. (1995)**
Evaluation of Corn Genotypes for Resistance to Aspergillus Ear Rot, Kernel Infection, and Aflatoxin Production. *Plant Disease*, 79, 10, pp 1039-1045
<Go to ISI>://A1995RW79100016
- Campbell, K.W. & White, D.G. (1995)**
Inheritance of Resistance to Aspergillus Ear Rot and Aflatoxin in Corn Genotypes. *Phytopathology*, 85, 8, pp 886-896
<Go to ISI>://A1995RP60900010
- Cardwell, K.F. & Cotty, P.J. (2002)**
Distribution of *Aspergillus section flavi* among field soils from the four agroecological zones of the Republic of Benin, West Africa. *Plant Disease*, 86, 4, pp 434-439
<Go to ISI>://000174479100020
- Cardwell, K.F., Kling, J.G., Maziya-Dixon, B., & Bosque-Perez, N.A. (2000)**
Interactions between *Fusarium verticillioides*, *Aspergillus flavus*, and insect infestation in four maize genotypes in lowland Africa. *Phytopathology*, 90, 3, pp 276-284
<Go to ISI>://000085499400011
- Casacuberta, J.M., Raventos, D., Puigdomenech, P., & Segundo, B.S. (1992)**
Expression of the Gene Encoding the Pr-Like Protein Prms in Germinating Maize Embryos. *Molecular & General Genetics*, 234, 1, pp 97-104
<Go to ISI>://A1992JF25600012
- CAST Council for Agricultural Science and Technology (2003).**
Mycotoxins: Risks in Plant, Animal, and Human Systems, Iowa State University pp 217 Ames.
- Castella, G., Munkvold, G.P., Imerman, P., & Hyde, W.G. (1999)**
Effects of temperature, incubation period and substrate on production of fusaproliferin by *Fusarium subglutinans* ITEM 2404. *Natural Toxins*, 7, 4, pp 129-132
<Go to ISI>://000086857500001
- Cazzaniga, D., Basilico, J.C., Gonzalez, R.J., Torres, R.L., & de Greef, D.M. (2001)**
Mycotoxins inactivation by extrusion cooking of corn flour. *Letters in Applied Microbiology*, 33, 2, pp 144-147
<Go to ISI>://000170102700010
- Chelack, W.S., Borsa, J., Marquardt, R.R., & Frohlich, A.A. (1991)**
Role of the Competitive Microbial-Flora in the Radiation- Induced Enhancement of Ochratoxin Production by *Aspergillus- Alutaceus* Var *Alutaceus* Nr1 3174. *Applied and Environmental Microbiology*, 57, 9, pp 2492-2496
<Go to ISI>://A1991GF76900008
- Chelule, P.K., Gqaleni, N., Dutton, M.F., & Chuturgoon, A.A. (2001)**
Exposure of rural and urban populations in KwaZulu Natal, South Africa, to fumonisin B-1 in maize. *Environmental Health Perspectives*, 109, 3, pp 253-256
<http://ehp.niehs.nih.gov/members/2001/109p253-256chelule/chelule-full.html>
- Chen, Z.Y., Brown, R.L., Cleveland, T.E., Damann, K.E., & Russin, J.S. (2001)**
Comparison of constitutive and inducible maize kernel proteins of genotypes resistant or susceptible to aflatoxin production. *Journal of Food Protection*, 64, 11, pp 1785-1792
<Go to ISI>://000172247800023
- Chen, Z.Y., Brown, R.L., Damann, K.E., & Cleveland, T.E. (2002)**
Identification of unique or elevated levels of kernel proteins in aflatoxin-resistant maize genotypes through proteome analysis. *Phytopathology*, 92, 10, pp 1084-1094
<Go to ISI>://000178384100008

- Chen, Z.Y., Cleveland, T.E., Brown, R.L., Bhatnagar, D., Cary, J.W., & Rajasekaran, K. (2002)**
Corn as a source of antifungal genes for genetic engineering of crops for resistance to aflatoxin contamination. *In Crop Biotechnology*, Vol. 829, pp. 131-150. AMER CHEMICAL SOC, Washington Acs Symposium Series,
<Go to ISI>://000181072300011
- Chourasia, H.K. (1995)**
Mycobiota and Mycotoxins in Herbal Drugs of Indian Pharmaceutical Industries. *Mycological Research*, 99, pp 697-703
<Go to ISI>://A1995RG63700012
- Chourasia, H.K. (2001)**
Response of some Indian maize samples for aflatoxin production by *Aspergillus flavus* strains. *Journal of Food Science and Technology-Mysore*, 38, 4, pp 387-389
<Go to ISI>://000170621000020
- Cirillo, T., Ritieni, A., Visone, M., & Cocchieri, R.A. (2003)**
Evaluation of conventional and organic Italian foodstuffs for deoxynivalenol and fumonisins B-1 and B-2. *Journal of Agricultural and Food Chemistry*, 51, 27, pp 8128-8131
<Go to ISI>://000187565600047
- Clements, M.J., Campbell, K.W., Maragos, C.M., Pilcher, C., Headrick, J.M., Pataky, J.K., & White, D.G. (2003)**
Influence of Cry1Ab protein and hybrid genotype on fumonisin contamination and fusarium ear rot of corn. *Crop Science*, 43, 4, pp 1283-1293
<Go to ISI>://000183762800006
- Clements, M.J., Kleinschmidt, C.E., Maragos, C.M., Pataky, J.K., & White, D.G. (2003)**
Evaluation of inoculation techniques for fusarium ear rot and fumonisin contamination of corn. *Plant Disease*, 87, 2, pp 147-153
<Go to ISI>://000180563600005
- Clements, M.J., Maragos, C.A., Pataky, J.K., & White, D.G. (2004)**
Sources of resistance to fumonisin accumulation in grain and fusarium ear and kernel rot of corn. *Phytopathology*, 94, 3, pp 251-260
<Go to ISI>://000220532500006
- Cleveland, T.E., Dowd, P.F., Desjardins, A.E., Bhatnagar, D., & Cotty, P.J. (2003)**
United States Department of Agriculture - Agricultural Research Service research on pre-harvest prevention of mycotoxins and mycotoxigenic fungi in US crops. *Pest Management Science*, 59, 6-7, pp 629-642
<Go to ISI>://000183400700007
- Convert, O., Jellal, A., Correia, I., Dardoize, F., Menguy, L., & Cherton, J.C. (1994)**
A Novel Mycotoxin - the Chaetoglobosin-N from Infested Maize by *Phomopsis-Leptostromiformis* .2. Structure Elucidation by H-1 and C-13 Nmr. Analysis, 22, 4, pp 217-221
<Go to ISI>://A1994NM03700015
- Cooney, J.M., Lauren, D.R., & di Menna, M.E. (2001)**
Impact of competitive fungi on trichothecene production by *Fusarium graminearum*. *Journal of Agricultural and Food Chemistry*, 49, 1, pp 522-526
<Go to ISI>://000166695100082
- Crome, M.G., Shorter, S.C., Lauren, D.R., & Sinclair, K.I. (2002)**
Cultivar and crop management influences on fusarium head blight and mycotoxins in spring wheat (*Triticum aestivum*) in New Zealand. *New Zealand Journal of Crop and Horticultural Science*, 30, 4, pp 235-247
<Go to ISI>://000180614200003
- Cuero, R., Smith, J.E., & Lacey, J. (1988)**
Mycotoxin Formation by *Aspergillus-Flavus* and *Fusarium- Graminearum* in Irradiated Maize Grains in the Presence of Other Fungi. *Journal of Food Protection*, 51, 6, pp 452-456
<Go to ISI>://A1988N915700006
- Curtui, V., Usleber, E., Dietrich, R., Lepschy, J., & Martlbauer, E. (1998)**
A survey on the occurrence of mycotoxins in wheat and maize from western Romania. *Mycopathologia*, 143, 2, pp 97-103
<Go to ISI>://000079327200006
- Cvetnic, Z. (1994)**
Cyclopiazonic Acid and Aflatoxin Production by Cultures of *Aspergillus-Flavus* Isolated from Dried Beans and Maize. *Nahrung-Food*, 38, 1, pp 21-25
<Go to ISI>://A1994MY05700004
- Danicke, S., Gaden, D., Ueberschar, K.H., Meyer, U., & Scholz, H. (2002)**
Effects of fusarium toxin contaminated wheat and of a detoxifying agent on performance of growing bulls, on nutrient digestibility in wethers and on the carry over of zearalenone. *Archives of Animal Nutrition-Archiv Fur Tierernahrung*, 56, 4, pp 245-261
<Go to ISI>://000178933800001

- Danicke, S., Ueberschar, K.H., Halle, I., Matthes, S., Valenta, H., & Flachowsky, G. (2002)**
Effect of addition of a detoxifying agent to laying hen diets containing uncontaminated or Fusarium toxin-contaminated maize on performance of hens and on carryover of zearalenone. *Poultry Science*, 81, 11, pp 1671-1680
<Go to ISI>://000179314800012
- Danicke, S., Valenta, H., Doll, S., Ganter, A., & Flachowsky, G. (2004)**
On the effectiveness of a detoxifying agent in preventing fusario-toxicosis in fattening pigs. *Animal Feed Science and Technology*, 114, 1-4, pp 141-157
<Go to ISI>://000221094000011
- Daradimos, E., Marcaki, P., & Koupparis, M. (2000)**
Evaluation and validation of two fluorometric HPLC methods for the determination of aflatoxin B-1 in olive oil. *Food Additives and Contaminants*, 17, 1, pp 65-73
<Go to ISI>://000086162900007
- Dawlatana, M., Coker, R.D., Nagler, M.J., Wild, C.P., Hassan, M.S., & Blunden, G. (2002)**
The occurrence of mycotoxins in key commodities in Bangladesh: Surveillance results from 1993 to 1995. *Journal of Natural Toxins*, 11, 4, pp 379-386
<Go to ISI>://000179853900014
- De Farias, A.X., Robbs, C.F., Bittencourt, A.M., Andersen, P.M., & Correa, T.B.S. (2000)**
Endogenous Aspergillus spp. contamination of postharvest corn in Parana State, Brazil. *Pesquisa Agropecuaria Brasileira*, 35, 3, pp 617-621
<Go to ISI>://000086754800018
- de Nijs, M., van Egmond, H.P., Nauta, M., Rombouts, F.M., & Notermans, S.H.W. (1998)**
Assessment of human exposure to fumonisin B-1. *Journal of Food Protection*, 61, 7, pp 879-884
<Go to ISI>://000074877900021
- De Saeger, S., Sibanda, L., Desmet, A., & Van Peteghem, C. (2002)**
A collaborative study to validate novel field immunoassay kits for rapid mycotoxin detection. *International Journal of Food Microbiology*, 75, 1-2, pp 135-142
<Go to ISI>://000174817800014
- Deleon, C., Kitbamroong, C., Buangsuwan, D., & Tanboonrek, P. (1995)**
Selection for Resistance to Aflatoxin Formation in Maize through Seed Inoculation. *Food Additives and Contaminants*, 12, 3, pp 491-495
<Go to ISI>://A1995RC65700030
- Desai, M.R. & Ghosh, S.K. (2003)**
Aflatoxin related occupational exposure to maize processing workers. *Cellular and Molecular Biology*, 49, 4, pp 529-535
<Go to ISI>://000184379300011
- Desjardins, A.E., Manandhar, G., Plattner, R.D., Maragos, C.M., Shrestha, K., & McCormick, S.P. (2000)**
Occurrence of Fusarium species and mycotoxins in nepalese maize and wheat and the effect of traditional processing methods on mycotoxin levels. *Journal of Agricultural and Food Chemistry*, 48, 4, pp 1377-1383
<Go to ISI>://000086572200067
- Desjardins, A.E., Munkvold, G.P., Plattner, R.D., & Proctor, R.H. (2002)**
FUM1 - A gene required for fumonisin biosynthesis but not for maize ear rot and ear infection by *Gibberella moniliformis* in field tests. *Molecular Plant-Microbe Interactions*, 15, 11, pp 1157-1164
<Go to ISI>://000178783600007
- Desjardins, A.E., Plattner, R.D., & Gordon, T.R. (2000)**
Gibberella fujikuroi mating population A and Fusarium subglutinans from teosinte species and maize from Mexico and Central America. *Mycological Research*, 104, pp 865-872
<Go to ISI>://000088847400018
- Deutz, A., Klauber, A., & Kofer, J. (2000)**
Examination of deer feed samples for the mycotoxins deoxynivalenol and zearalenon. *Zeitschrift Fur Jagdwissenschaft*, 46, 4, pp 279-283
<Go to ISI>://000166145000005
- Dilkin, P., Mallmann, C.A., de Almeida, C.A.A., Stefanon, E.B., Fontana, F.Z., & Milbradt, E.L. (2002)**
Production of fumonisins by strains of Fusarium moniliforme according to temperature, moisture and growth period. *Brazilian Journal of Microbiology*, 33, 2, pp 111-118
<Go to ISI>://000184236400003
- D'Mello, J.P.F., Macdonald, A.M.C., Postel, D., Dijkma, W.T.P., Dujardin, A., & Placinta, C.M. (1998)**
Pesticide use and mycotoxin production in Fusarium and Aspergillus phytopathogens. *European Journal of Plant Pathology*, 104, 8, pp 741-751
<Go to ISI>://000078775900001

- Doko, M.B., Rapior, S., Visconti, A., & Schjoth, J.E. (1995)**
Incidence and Levels of Fumonisin Contamination in Maize Genotypes Grown in Europe and Africa. *Journal of Agricultural and Food Chemistry*, 43, 2, pp 429-434
<Go to ISI>://A1995QH79700032
- Doll, S., Danicke, S., Ueberschar, K.H., Valenta, H., Schnurrbusch, U., Ganter, M., Klobasa, F., & Flachowsky, G. (2003)**
Effects of graded levels of Fusarium toxin contaminated maize in diets for female weaned piglets. *Archives of Animal Nutrition-Archiv Fur Tierernahrung*, 57, 5, pp 311-334
<Go to ISI>://000185466000001
- Dombrink-Kurtzman, M.A. & Rooney, L.W. (2002)**
Effect of nixtamalization on fumonisin-contaminated corn for production of tortillas. *In Bioactive Compounds in Foods*, Vol. 816, pp. 206-217. AMER CHEMICAL SOC, Washington Acs Symposium Series,
<Go to ISI>://000180109800015
- Doohan, F.M., Brennan, J., & Cooke, B.M. (2003)**
Influence of climatic factors on Fusarium species pathogenic to cereals. *European Journal of Plant Pathology*, 109, 7, pp 755-768
<Go to ISI>://000185661500011
- Dowd, P.F. (2000)**
Indirect reduction of ear molds and associated mycotoxins in *Bacillus thuringiensis* corn under controlled and open field conditions: Utility and limitations. *Journal of Economic Entomology*, 93, 6, pp 1669-1679
<Go to ISI>://000166049400016
- Dowd, P.F. (2001)**
Biotic and abiotic factors limiting efficacy of Bt corn in indirectly reducing mycotoxin levels in commercial fields. *Journal of Economic Entomology*, 94, 5, pp 1067-1074
<Go to ISI>://000171545000009
- Dowd, P.F. (2003)**
Insect management to facilitate preharvest mycotoxin management. *Journal of Toxicology-Toxin Reviews*, 22, 2-3, pp 327-350
<Go to ISI>://000185165300010
- Dowd, P.F., Vega, F.E., Nelsen, T.C., & Richard, J.L. (1998)**
Dusky sap beetle mediated dispersal of *Bacillus subtilis* to inhibit *Aspergillus flavus* and aflatoxin production in maize *Zea mays* L. *Biocontrol Science and Technology*, 8, 2, pp 221-235
<Go to ISI>://000074804900005
- Dowd, P.F. & White, D.G. (2002)**
Corn earworm, *Helicoverpa zea* (Lepidoptera : Noctuidae) and other insect associated resistance in the maize inbred Tex6. *Journal of Economic Entomology*, 95, 3, pp 628-634
<Go to ISI>://000178371500016
- Dowell, F.E., Pearson, T.C., Maghirang, E.B., Xie, F., & Wicklow, D.T. (2002)**
Reflectance and transmittance spectroscopy applied to detecting fumonisin in single corn kernels infected with *Fusarium verticillioides*. *Cereal Chemistry*, 79, 2, pp 222-226
<Go to ISI>://000174407700009
- Dragacci, S. & Fremy, J.M. (1996)**
Application of immunoaffinity column cleanup to aflatoxin M(1) determination and survey in cheese. *Journal of Food Protection*, 59, 9, pp 1011-1013
<Go to ISI>://A1996VK55700019
- Dresen, G., Wang, Z., & Bai, Q. (1996)**
Kinetics of grain growth in anorthite. *Tectonophysics*, 258, 1-4, pp 251-262
<Go to ISI>://A1996UV59100015
- Driehuis, F. & Elferink, S. (2000)**
The impact of the quality of silage on animal health and food safety: A review. *Veterinary Quarterly*, 22, 4, pp 212-216
<Go to ISI>://000165306200009
- Dutton, M.F. & Kinsey, A. (1995)**
Occurrence of Mycotoxins in Cereals and Animal Feedstuffs in Natal, South-Africa 1994. *Mycopathologia*, 131, 1, pp 31-36
<Go to ISI>://A1995TH95900005
- Duvick, J. (2001)**
Prospects for reducing fumonisin contamination of maize through genetic modification. *Environmental Health Perspectives*, 109, pp 337-342
<Go to ISI>://000168824500023

- Dvorska, J.E., Surai, P.F., Speake, B.K., & Sparks, N.H.C. (2001)**
Effect of the mycotoxin aurofusarin on the antioxidant composition and fatty acid profile of quail eggs. *British Poultry Science*, 42, 5, pp 643-649
<Go to ISI>://000172482200013
- Engelhardt, G., Zill, G., Wohner, B., & Wallnofer, P.R. (1988)**
Transformation of the Fusarium Mycotoxin Zearalenone in Maize Cell-Suspension Cultures. *Naturwissenschaften*, 75, 6, pp 309-310
<Go to ISI>://A1988P035600008
- Escobar, A. & Regueiro, S. (2002)**
Determination of aflatoxin B1 in food and feedstuffs in Cuba (1990 through 1996) using an immunoenzymatic reagent kit (Aflacen). *Journal of Food Protection*, 65, 1, pp 219-221
<Go to ISI>://000173281900035
- Etcheverry, M., Nesci, A., Barros, G., Torres, A., & Chulze, S. (1999)**
Occurrence of Aspergillus section Flavi and aflatoxin B-1 in corn genotypes and corn meal in Argentina. *Mycopathologia*, 147, 1, pp 37-41
<Go to ISI>://000087070100006
- Etcheverry, M., Torres, A., Ramirez, M.L., Chulze, S., & Magan, N. (2002)**
In vitro control of growth and fumonisin production by Fusarium verticillioides and F-proliferatum using antioxidants under different water availability and temperature regimes. *Journal of Applied Microbiology*, 92, 4, pp 624-632
<Go to ISI>://000175115500005
- Fakhoury, A.M. & Woloshuk, C.P. (2001)**
Inhibition of growth of Aspergillus flavus and fungal alpha- amylases by a lectin-like protein from Lablab purpureus. *Molecular Plant-Microbe Interactions*, 14, 8, pp 955-961
<Go to ISI>://000169947000004
- Faraj, M.K., Smith, J.E., & Harran, G. (1991)**
Interaction of Water Activity and Temperature on Aflatoxin Production by Aspergillus-Flavus and Aspergillus-Parasiticus in Irradiated Maize Seeds. *Food Additives and Contaminants*, 8, 6, pp 731-736
<Go to ISI>://A1991HM13000007
- Fazekas, B. (1999)**
Fusariotoxicoses in swine. *Magyar Allatorvosok Lapja*, 121, 6, pp 340-343
<Go to ISI>://000081335800006
- Fazekas, B. & Bajmocy, E. (1996)**
Occurrence of the equine leukoencephalomalacia (ELEM) caused by fumonisin-B-1 mycotoxin in Hungary. *Magyar Allatorvosok Lapja*, 51, 8, pp 484-487
<Go to ISI>://A1996VG02500009
- Fazekas, B., Bajmocy, E., Glavits, R., & Fenyvesi, A. (1997)**
Fumonisine mycotoxicoses in Hungary. Leukoencephalomalacia in horses, fattening pulmonary oedema in pigs. *Magyar Allatorvosok Lapja*, 119, 3, pp 137-139
<Go to ISI>://A1997WY75000002
- Fazekas, B., Bajmocy, E., Glavits, R., Fenyvesi, A., & Tanyi, J. (1998)**
Fumonisin B-1 contamination of maize and experimental acute fumonisin toxicosis in pigs. *Journal of Veterinary Medicine Series B-Infectious Diseases and Veterinary Public Health*, 45, 3, pp 171-181
<Go to ISI>://000073112800006
- Fazekas, B., Kis, M., & Hajdu, E.T. (1996)**
Data on the contamination of maize with fumonisin B-1 and other fusariotoxins in Hungary. *Acta Veterinaria Hungarica*, 44, 1, pp 25-37
<Go to ISI>://A1996UR53800004
- Fazekas, B. & Tar, A. (2001)**
Determination of zearalenone content in cereals and feedstuffs by immunoaffinity column coupled with liquid chromatography. *Journal of Aoac International*, 84, 5, pp 1453-1459
<Go to ISI>://000171421000019
- Fazekas, B., Tar, A.K., & Zomborszky-Kovacs, M. (2002)**
Ochratoxin a contamination of cereal grains and coffee in Hungary in the year 2001. *Acta Veterinaria Hungarica*, 50, 2, pp 177-188
<Go to ISI>://000176315800007
- Fazekas, B. & Tothne, H.E. (1995)**
Incidence of Fumonisin-B-1 Mycotoxin in Maize Cultivated in Hungary. *Magyar Allatorvosok Lapja*, 50, 8, pp 515-518
<Go to ISI>://A1995RV54400013

- Fernandez-Surumay, G., Negron-Gonzalez, G., Isea-Fernandez, G., & Sanchez-Camarillo, E. (2000)**
Report of quantitative analysis of aflatoxins by ELISA method in raw ingredients samples of balanced feed for poultry from a factory located at Mara municipality of Zulia State, Venezuela. *Revista Cientifica-Facultad De Ciencias Veterinarias*, 10, 1, pp 63-68
<Go to ISI>://000085622500011
- Figueira, E.L.Z., Blanco-Labra, A., Gerage, A.C., Ono, E.Y.S., Mendiola-Olaya, E., Ueno, Y., & Hirooka, E.Y. (2003)**
New amylase inhibitor present in corn seeds active in vitro against amylase from *Fusarium verticillioides*. *Plant Disease*, 87, 3, pp 233-240
<Go to ISI>://000181188500004
- Figueira, E.L.Z., Hirooka, E.Y., Mendiola-Olaya, E., & Blanco-Labra, A. (2003)**
Characterization of a hydrophobic amylase inhibitor from corn (*Zea mays*) seeds with activity against amylase from *Fusarium verticillioides*. *Phytopathology*, 93, 8, pp 917-922
<Go to ISI>://000184299400002
- Filek, G. & Lindner, W. (1996)**
Determination of the mycotoxin moniliformin in cereals by high- performance liquid chromatography and fluorescence detection. *Journal of Chromatography A*, 732, 2, pp 291-298
<Go to ISI>://A1996UL38600013
- Flaherty, J.E., Pirttila, A.M., Bluhm, B.H., & Woloshuk, C.P. (2003)**
PAC1, a pH-regulatory gene from *Fusarium verticillioides*. *Applied and Environmental Microbiology*, 69, 9, pp 5222-5227
<Go to ISI>://000185437000023
- Flaherty, J.E. & Woloshuk, C.P. (2004)**
Regulation of fumonisin biosynthesis in *Fusarium verticillioides* by a zinc binuclear cluster-type gene, ZFR1. *Applied and Environmental Microbiology*, 70, 5, pp 2653-2659
<Go to ISI>://000221340400011
- Food Standard Agency (2003).**
Electronic Source: Contaminated maize meal withdrawn from sale, <http://www.food.gov.uk/news/newsarchive/2003/sep/maize> and <http://www.food.gov.uk/news/newsarchive/2003/sep/moremaize> and <http://www.food.gov.uk/multimedia/pdfs/maizemeal10.pdf>
- Gamanya, R. & Sibanda, L. (2001)**
Survey of *Fusarium moniliforme* (F-*verticillioides*) and production of fumonisin B-1 in cereal grains and oilseeds in Zimbabwe. *International Journal of Food Microbiology*, 71, 2-3, pp 145-149
<Go to ISI>://000173069200005
- Ganassi, S., Moretti, A., Pagliai, A.M.B., Logrieco, A., & Sabatini, M.A. (2002)**
Effects of beauvericin on *Schizaphis graminum* (Aphididae). *Journal of Invertebrate Pathology*, 80, 2, pp 90-96
<Go to ISI>://000178680000003
- Gbodi, T.A., Nwude, N., Aliu, Y.O., Ikediobi, C.O., & Chineme, C.O. (1991)**
Acute Toxicity of Crude Extracts of *Aspergillus Quadrilineatus* Isolated from Acha (*Digitaria-Exilis* Stapf). *Veterinary and Human Toxicology*, 33, 1, pp 27-31
<Go to ISI>://A1991EU05800007
- Gembeh, S.V., Brown, R.L., Grimm, C., & Cleveland, T.E. (2001)**
Identification of chemical components of corn kernel pericarp wax associated with resistance to *Aspergillus flavus* infection and aflatoxin production. *Journal of Agricultural and Food Chemistry*, 49, 10, pp 4635-4641
<Go to ISI>://000171615100019
- GemechuHatewu, M., Platt, K.L., Oesch, F., Hacker, H.J., Bannasch, P., & Steinberg, P. (1997)**
Metabolic activation of aflatoxin B-1 to aflatoxin B-1-8,9- epoxide in woodchucks undergoing chronic active hepatitis. *International Journal of Cancer*, 73, 4, pp 587-591
<Go to ISI>://A1997YG99200021
- Gilbert, J., Boenke, A., & Wagstaffe, P.J. (1992)**
Deoxynivalenol in Wheat and Maize Flour Reference Materials .1. An Intercomparison of Methods. *Food Additives and Contaminants*, 9, 1, pp 71-81
<Go to ISI>://A1992JA28700006
- Glaser, J.A. & Matten, S.R. (2003)**
Sustainability of insect resistance management strategies for transgenic Bt corn. *Biotechnology Advances*, 22, 1-2, pp 45-69
<Go to ISI>://000188053400007
- Gong, Y.Y., Egal, S., Hounsa, A., Turner, P.C., Hall, A.J., Cardwell, K.F., & Wild, C.P. (2003)**
Determinants of aflatoxin exposure in young children from Benin and Togo, West Africa: the critical role of weaning. *International Journal of Epidemiology*, 32, 4, pp 556-562
<Go to ISI>://000184783500019

Gqaleni, N., Smith, J.E., Lacey, J., & Gettinby, G. (1996)

The production of cyclopiazonic acid by *Penicillium commune* and cyclopiazonic acid and aflatoxins by *Aspergillus flavus* as affected by water activity and temperature on maize grains. *Mycopathologia*, 136, 2, pp 103-108
<Go to ISI>://A1996XH01100007

Gressel, J., Hanafi, A., Head, G., Marasas, W., Obilana, B., Ochanda, J., Souissi, T., & Tzotzos, G. (2004)

Major heretofore intractable biotic constraints to African food security that may be amenable to novel biotechnological solutions. *Crop Protection*, 23, 8, pp 661-689
<Go to ISI>://000222409300001

Guo, B.Z., Butron, A., Li, H., Widstrom, N.W., & Lynch, R.E. (2002)

Restriction fragment length polymorphism assessment of the heterogeneous nature of maize population GT-MAS : gk and field evaluation of resistance to aflatoxin production by *Aspergillus flavus*. *Journal of Food Protection*, 65, 1, pp 167-171
<Go to ISI>://000173281900025

Guo, B.Z., Chen, Z.Y., Brown, R.L., Lax, A.R., Cleveland, T.E., Russin, J.S., Mehta, A.D., Selitrennikoff, C.P., & Widstrom, N.W. (1997)

Germination induces accumulation of specific proteins and antifungal activities in corn kernels. *Phytopathology*, 87, 11, pp 1174-1178
<Go to ISI>://A1997YD86700013

Guo, B.Z., Li, R.G., Widstrom, N.W., Lynch, R.E., & Cleveland, T.E. (2001)

Genetic variation within maize population GT-MAS : gk and the relationship with resistance to *Aspergillus flavus* and aflatoxin production. *Theoretical and Applied Genetics*, 103, 4, pp 533-539
<Go to ISI>://000171240000007

Guo, B.Z., Russin, J.S., Brown, R.L., Cleveland, T.E., & Widstrom, N.W. (1996)

Resistance to aflatoxin contamination in corn as influenced by relative humidity and kernel germination. *Journal of Food Protection*, 59, 3, pp 276-281
<Go to ISI>://A1996UA87500010

Guo, B.Z., Russin, J.S., Cleveland, T.E., Brown, R.L., & Damann, K.E. (1996)

Evidence for cutinase production by *Aspergillus flavus* and its possible role in infection of corn kernels. *Phytopathology*, 86, 8, pp 824-829
<Go to ISI>://A1996VB24600006

Guo, B.Z., Russin, J.S., Cleveland, T.E., Brown, R.L., & Widstrom, N.W. (1995)

Wax and Cutin Layers in Maize Kernels Associated with Resistance to Aflatoxin Production by *Aspergillus-Flavus*. *Journal of Food Protection*, 58, 3, pp 296-300
<Go to ISI>://A1995QT48300013

Hadiani, M.R., Yazdanpanah, H., Ghazi-Khansari, M., Cheraghali, A.M., & Goodarzi, M. (2003)

Survey of the natural occurrence of zearalenone in maize from northern Iran by thin-layer chromatography densitometry. *Food Additives and Contaminants*, 20, 4, pp 380-385
<Go to ISI>://000182875000010

Hamblin, A.M. & White, D.G. (2000)

Inheritance of resistance to aspergillus ear rot and aflatoxin production of corn from Tex6. *Phytopathology*, 90, 3, pp 292-296
<Go to ISI>://000085499400013

Hammond, B. (2004)

A review of the food/feed safety and benefits of *Bacillus thuringiensis* protein containing insect-protected crops. *In Agricultural Biotechnology: Challenges and Prospects*, Vol. 866, pp. 103-123. AMER CHEMICAL SOC, Washington Acs Symposium Series,
<Go to ISI>://000189476000008

Hammond, B.G., Campbell, K.W., Pilcher, C.D., DeGooyer, T.A., Robinson, A.E., McMillen, B.L., Spangler, S.M., Riordan, S.G., Rice, L.G., & Richard, J.L. (2004)

Lower fumonisin mycotoxin levels in the grain of Bt corn grown in the United States in 2000-2002. *Journal of Agricultural and Food Chemistry*, 52, 5, pp 1390-1397
<Go to ISI>://000220039800060

Harris, L.J. & Gleddie, S.C. (2001)

A modified Rpl3 gene from rice confers tolerance of the *Fusarium graminearum* mycotoxin deoxynivalenol to transgenic tobacco. *Physiological and Molecular Plant Pathology*, 58, 4, pp 173-181
<Go to ISI>://000169344400004

Hasan, H.A.H. (1993)

Differential Action of Cercoran and Topsin-M on Sensitive and Tolerant Strains of Toxicogenic Fungi. *Cryptogamie Mycologie*, 14, 1, pp 61-68
<Go to ISI>://A1993KW51700007

- Hell, K., Cardwell, K.F., & Poehling, H.M. (2003)**
Relationship between management practices, fungal infection and aflatoxin for stored maize in Benin. *Journal of Phytopathology*, 151, 11-12, pp 690-698
<Go to ISI>://000186875300020
- Hell, K., Cardwell, K.F., Setamou, M., & Poehling, H.M. (2000)**
The influence of storage practices on aflatoxin contamination in maize in four agroecological zones of Benin, west Africa. *Journal of Stored Products Research*, 36, 4, pp 365-382
<Go to ISI>://000088457200004
- Hell, K., Cardwell, K.F., Setamou, M., & Schulthess, F. (2000)**
Influence of insect infestation on aflatoxin contamination of stored maize in four agroecological regions in Benin. *African Entomology*, 8, 2, pp 169-177
<Go to ISI>://000167228800002
- Higa, A., Kimura, M., Mimori, K., Ochiai-Fukuda, T., Tokai, T., Takahashi-Ando, N., Nishiuchi, T., Igawa, T., Fujimura, M., Hamamoto, H., Usami, R., & Yamaguchi, I. (2003)**
Expression in cereal plants of genes that inactivate fusarium mycotoxins. *Bioscience Biotechnology and Biochemistry*, 67, 4, pp 914-918
<Go to ISI>://000182733600039
- Hilakivi-Clarke, L., Cho, E., & Clarke, R. (1998)**
Maternal genistein exposure mimics the effects of estrogen on mammary gland development in female mouse offspring. *Oncology Reports*, 5, 3, pp 609-616
<Go to ISI>://000073178900012
- Howard, P.C., Couch, L.H., Patton, R.E., Eppley, R.M., Doerge, D.R., Churchwell, M.I., Marques, M.M., & Okerberg, C.V. (2002)**
Comparison of the toxicity of several fumonisin derivatives in a 28-day feeding study with female B6C3F(1) mice. *Toxicology and Applied Pharmacology*, 185, 3, pp 153-165
<Go to ISI>://000180061900001
- Hussein, H.M., Baxter, M., Andrew, I.G., & Franich, R.A. (1991)**
Mycotoxin Production by Fusarium Species Isolated from New- Zealand Maize Fields. *Mycopathologia*, 113, 1, pp 35-40
<Go to ISI>://A1991EU35700007
- Izzotti, A., Scatolini, L., Lewtas, J., Walsh, D., & DeFlora, S. (1995)**
Enhanced Levels of DNA-Adducts in the Liver of Woodchucks Infected with Hepatitis-Virus. *Chemico-Biological Interactions*, 97, 3, pp 273-285
<Go to ISI>://A1995RX55700007
- Janardhana, G.R., Raveesha, K.A., & Shetty, H.S. (1999)**
Mycotoxin contamination of maize grains grown in Karnataka (India). *Food and Chemical Toxicology*, 37, 8, pp 863-868
<Go to ISI>://000082765800007
- Jardine, D.J. & Leslie, J.F. (1999)**
Aggressiveness to mature maize plants of Fusarium strains differing in ability to produce fumonisin. *Plant Disease*, 83, 7, pp 690-693
<Go to ISI>://000081062900015
- Javed, T., Bennett, G.A., Richard, J.L., Dombrinkurtzman, M.A., Cote, L.M., & Buck, W.B. (1993)**
Mortality in Broiler Chicks on Feed Amended with Fusarium- Proliferatum Culture Material or with Purified Fumonisin-B(1) and Moniliformin. *Mycopathologia*, 123, 3, pp 171-184
<Go to ISI>://A1993MN85500008
- Jayas, D.S. & White, N.D.G. (2003)**
Storage and drying of grain in Canada: low cost approaches. *Food Control*, 14, 4, pp 255-261
<Go to ISI>://000182876300009
- Jespersen, L., Halm, M., Kpodo, K., & Jakobsen, M. (1994)**
Significance of Yeasts and Molds Occurring in Maize Dough Fermentation for Kenkey Production. *International Journal of Food Microbiology*, 24, 1-2, pp 239-248
<Go to ISI>://A1994PY29300022
- Josephs, R.D., Krska, R., MacDonald, S., Wilson, P., & Pettersson, H. (2003)**
Preparation of a calibrant as certified reference material for determination of the Fusarium mycotoxin zearalenone. *Journal of Aoc International*, 86, 1, pp 50-60
<Go to ISI>://000180789700008
- Josephs, R.D., Krska, R., MacDonald, S., Wilson, P., & Pettersson, H. (2004)**
Production of a calibrant certified reference material for determination of the estrogenic mycotoxin zearalenone. *Analytical and Bioanalytical Chemistry*, 378, 5, pp 1182-1189
<Go to ISI>://000189277400004

- Josephs, R.D., Krska, R., Schuhmacher, R., & Grasserbauer, M. (1999)**
A rapid method for the determination of the Fusarium mycotoxin beauvericin in maize. *Fresenius Journal of Analytical Chemistry*, 363, 1, pp 130-131
<Go to ISI>://000078265200030
- Josephs, R.D., Schuhmacher, R., & Krska, R. (2001)**
International interlaboratory study for the determination of the Fusarium mycotoxins zearalenone and deoxynivalenol in agricultural commodities. *Food Additives and Contaminants*, 18, 5, pp 417-430
<Go to ISI>://000168710700006
- Juanlopez, M., Carvajal, M., & Ituarte, B. (1995)**
Supervising Program of Aflatoxins in Mexican Corn. *Food Additives and Contaminants*, 12, 3, pp 297-312
<Go to ISI>://A1995RC65700002
- Juglal, S., Govinden, R., & Odhav, B. (2002)**
Spice oils for the control of co-occurring mycotoxin-producing fungi. *Journal of Food Protection*, 65, 4, pp 683-687
<Go to ISI>://000175000200017
- Julian, A.M., Wareing, P.W., Phillips, S.I., Medlock, V.F.P., Macdonald, M.V., & Delrio, L.E. (1995)**
Fungal Contamination and Selected Mycotoxins in Preharvest and Postharvest Maize in Honduras. *Mycopathologia*, 129, 1, pp 5-16
<Go to ISI>://A1995RG69900002
- Jurgenson, J.E., Zeller, K.A., & Leslie, J.F. (2002)**
Expanded genetic map of *Gibberella moniliformis* (*Fusarium verticillioides*). *Applied and Environmental Microbiology*, 68, 4, pp 1972-1979
<Go to ISI>://000174842200062
- Jurjevic, Z., Solfrizzo, M., Cvjetkovic, B., De Girolamo, A., & Visconti, A. (2002)**
Occurrence of beauvericin in corn from Croatia. *Food Technology and Biotechnology*, 40, 2, pp 91-94
<Go to ISI>://000176168300002
- Kandler, W., Nadubinska, M., Parich, A., & Krska, R. (2002)**
Determination of moniliformin in maize by ion chromatography. *Analytical and Bioanalytical Chemistry*, 374, 6, pp 1086-1090
<Go to ISI>://000179924500019
- Kang, Z., Huang, L.L., & Buchenauer, H. (2001)**
Ultrastructural and cytochemical studies of effects of the fungicide metconazole on *Fusarium culmorum* in vitro. *Zeitschrift Fur Pflanzenkrankheiten Und Pflanzenschutz-Journal of Plant Diseases and Protection*, 108, 4, pp 419-432
<Go to ISI>://000171113200011
- Karato, S. (1989)**
Grain-Growth Kinetics in Olivine Aggregates. *Tectonophysics*, 168, 4, pp 255-273
<Go to ISI>://A1989CB86500002
- Karlovsky, P. (1999)**
Biological detoxification of fungal toxins and its use in plant breeding, feed and food production. *Natural Toxins*, 7, 1, pp 1-23
<Go to ISI>://000083573600001
- Keller, N.P., Butchko, R.A.E., Sarr, B., & Phillips, T.D. (1994)**
A Visual-Pattern of Mycotoxin Production in Maize Kernels by *Aspergillus* Spp. *Phytopathology*, 84, 5, pp 483-488
<Go to ISI>://A1994NN88100009
- Keyser, Z., Vismer, H.F., Klaasen, J.A., Snijman, P.W., & Marasas, W.F.O. (1999)**
The antifungal effect of fumonisin B-1 on *Fusarium* and other fungal species. *South African Journal of Science*, 95, 10, pp 455-458
<Go to ISI>://000084208800009
- Kim, E.K., Shon, D.H., Yoo, J.Y., Ryu, D., Lee, C., & Kim, Y.B. (2001)**
Natural occurrence of aflatoxins in Korean meju. *Food Additives and Contaminants*, 18, 2, pp 151-156
<Go to ISI>://000167153600006
- Kos, G., Lohninger, H., & Krska, R. (2002)**
Fourier transform mid-infrared spectroscopy with attenuated total reflection (FT-IR/ATR) as a tool for the detection of *Fusarium* fungi on maize. *Vibrational Spectroscopy*, 29, 1-2, pp 115-119
<Go to ISI>://000176753300017
- Kostecki, M., Wisniewska, H., Perrone, G., Ritieni, A., Golinski, P., Chelkowski, J., & Logrieco, A. (1999)**
The effects of cereal substrate and temperature on production of beauvericin, moniliformin and fusaproliferin by *Fusarium subglutinans* ITEM-1434. *Food Additives and Contaminants*, 16, 9, pp 361-365
<Go to ISI>://000082303700001

- Kovacs, F. & Vanyi, A. (1993)**
Circulation of Certain Heavy-Metals, Nitrates and Mycotoxins in the Food-Chain. Magyar Allatorvosok Lapja, 48, 4, pp 197-201
<Go to ISI>://A1993LC68700001
- Kpodo, K., Thrane, U., & Hald, B. (2000)**
Fusaria and fumonisins in maize from Ghana and their co- occurrence with aflatoxins. International Journal of Food Microbiology, 61, 2-3, pp 147-157
<Go to ISI>://000165082400004
- Kritzinger, Q., Aveling, T.A.S., Marasas, W.F.O., Rheeder, J.P., Van der Westhuizen, L., & Shephard, G.S. (2003)**
Mycoflora and fumonisin mycotoxins associated with cowpea Vigna unguiculata (L.) walp seeds. Journal of Agricultural and Food Chemistry, 51, 8, pp 2188-2192
<Go to ISI>://000182037000013
- Krska, R., Josephs, R.D., Pettersson, H., & MacDonald, S. (2004)**
Preparation and certification of zearalenone mass concentration of two low-level maize reference materials. Journal of Aoac International, 87, 4, pp 892-908
<Go to ISI>://000222479200015
- Krska, R., Lemmens, M., Schuhmacher, R., Grasserbauer, M., Pronczuk, M., Wisniewska, H., & Chelkowski, J. (1996)**
Accumulation of the mycotoxin beauvericin in kernels of corn hybrids inoculated with Fusarium subglutinans. Journal of Agricultural and Food Chemistry, 44, 11, pp 3665-3667
<Go to ISI>://A1996VT71000048
- Krska, R., Pettersson, H., Josephs, R.D., Lemmens, M., Mac Donald, S., & Welzig, E. (2003)**
Zearalenone in maize: stability testing and matrix characterisation of a certified reference material. Food Additives and Contaminants, 20, 12, pp 1141-1152
<Go to ISI>://000188092200007
- Krska, R., Schuhmacher, R., Grasserbauer, M., & Scott, P.M. (1996)**
Determination of the Fusarium mycotoxin beauvericin at $\mu\text{g/kg}$ levels in corn by high-performance liquid chromatography with diode-array detection. Journal of Chromatography A, 746, 2, pp 233-238
<Go to ISI>://A1996VQ49900008
- Kruger, S.C., Kohn, B., Ramsey, C.S., & Prioli, R. (1999)**
Rapid immunoaffinity-based method for determination of zearalenone in corn by fluorometry and liquid chromatography. Journal of Aoac International, 82, 6, pp 1364-1368
<Go to ISI>://000083858100017
- Kumar, H., Jha, Y.K., & Chauhan, G.S. (2002)**
Detection and estimation of aflatoxin in food grains of Tarai regions and effect of heat treatments on its inactivation. Journal of Food Science and Technology-Mysore, 39, 5, pp 479-483
<Go to ISI>://000181168600006
- La Penna, M., Nesci, A., & Etcheverry, M. (2004)**
In vitro studies on the potential for biological control on Aspergillus section Flavi by Kluyveromyces spp. Letters in Applied Microbiology, 38, 4, pp 257-264
<Go to ISI>://000220098400002
- Lauren, D.R., Agnew, M.P., Smith, W.A., & Sayer, S.T. (1991)**
A Survey of the Natural Occurrence of Fusarium Mycotoxins in Cereals Grown in New-Zealand in 1986-1989. Food Additives and Contaminants, 8, 5, pp 599-605
<Go to ISI>://A1991HD25400005
- Lauren, D.R. & Di Menna, M.E. (1999)**
Fusaria and Fusarium mycotoxins in leaves and ears of maize plants 2. A time course study made in the Waikato region, New Zealand, in 1997. New Zealand Journal of Crop and Horticultural Science, 27, 3, pp 215-223
<Go to ISI>://000083058300004
- Lauren, D.R., Jensen, D.J., Smith, W.A., Dow, B.W., & Sayer, S.T. (1996)**
Mycotoxins in New Zealand maize: A study of some factors influencing contamination levels in grain. New Zealand Journal of Crop and Horticultural Science, 24, 1, pp 13-20
<Go to ISI>://A1996UM46900003
- Lauren, D.R. & Ringrose, M.A. (1997)**
Determination of the fate of three Fusarium mycotoxins through wet-milling of maize using an improved HPLC analytical technique. Food Additives and Contaminants, 14, 5, pp 435-443
<Go to ISI>://A1997XJ75500003
- Ledoux, D.R., Broomhead, J.N., Bermudez, A.J., & Rottinghaus, G.E. (2003)**
Individual and combined effects of the fusarium Mycotoxins fumonisin B-1 and moniliformin in broiler chicks. Avian Diseases, 47, 4, pp 1368-1375
<Go to ISI>://000187065200012

- Lee, Y.J. & Hagler, W.M. (1991)**
Aflatoxin and Cyclopiazonic Acid Production by *Aspergillus-Flavus* Isolated from Contaminated Maize. *Journal of Food Science*, 56, 3, pp 871-873
<Go to ISI>://A1991FY15400072
- Leitgeb, R., Lew, H., Khidr, R., Bohm, J., Zollitsch, W., & Wagner, E. (2000)**
Influence of fusarium toxins on growth and carcass characteristics of turkeys. *Bodenkultur*, 51, 3, pp 171-178
<Go to ISI>://000165377100005
- Leitgeb, R., Lew, H., Wetscherek, W., Bohm, J., & Quinz, A. (1999)**
Influence of fusariotoxins on growing and slaughtering performance of broilers. *Bodenkultur*, 50, 1, pp 57-66
<Go to ISI>://000081595400006
- Lemke, S.L., Ottinger, S.E., Mayura, K., Ake, C.L., Pimpukdee, K., Wang, N., & Phillips, T.D. (2001)**
Development of a multi-tiered approach to the in vitro prescreening of clay-based enterosorbents. *Animal Feed Science and Technology*, 93, 1-2, pp 17-29
<Go to ISI>://000171062100002
- Leontopoulos, D., Siafaka, A., & Markaki, P. (2003)**
Black olives as substrate for *Aspergillus parasiticus* growth and aflatoxin B-1 production. *Food Microbiology*, 20, 1, pp 119-126
<Go to ISI>://000180519700016
- Lepom, P., Knabe, O., & Baath, H. (1990)**
Occurrence of *Fusarium* Species and Their Mycotoxins in Maize - Formation of Deoxynivalenol (Don) in a Maize Plot Artificially Inoculated with *Fusarium-Culmorum* and the Influence of Ensilaging on the Stability of Don Formed. *Archiv Fur Tierernahrung-Archives of Animal Nutrition*, 40, 10, pp 1005-1012
<Go to ISI>://A1990ET30000012
- Leslie, J.F., Plattner, R.D., Desjardins, A.E., & Klittich, C.J.R. (1992)**
Fumonisin B1 Production by Strains from Different Mating Populations of *Gibberella-Fujikuroi* (*Fusarium* Section *Liseola*). *Phytopathology*, 82, 3, pp 341-345
<Go to ISI>://A1992HG36100018
- Lew, H., Adler, A., Edinger, W., Brodacz, W., Kiendler, E., & Hinterholzer, J. (2001)**
Fusarium species and their toxins in Austrian maize. *Bodenkultur*, 52, 3, pp 199-207
<Go to ISI>://000173076800001
- Lew, H., Chelkowski, J., Pronczuk, P., & Edinger, W. (1996)**
Occurrence of the mycotoxin moniliformin in maize (*Zea mays* L) ears infected by *Fusarium subglutinans* (Wollenw and Reinking) Nelson et al. *Food Additives and Contaminants*, 13, 3, pp 321-324
<Go to ISI>://A1996UH52900007
- Lincoln, J.E., Richael, C., Overduin, B., Smith, K., Bostock, R., & Gilchrist, D.G. (2002)**
Expression of the antiapoptotic baculovirus p35 gene in tomato blocks programmed cell death and provides broad-spectrum resistance to disease. *Proceedings of the National Academy of Sciences of the United States of America*, 99, 23, pp 15217-15221
<Go to ISI>://000179224800108
- Logrieco, A., Botalico, A., Mule, G., Moretti, A., & Perrone, G. (2003)**
Epidemiology of toxigenic fungi and their associated mycotoxins for some Mediterranean crops. *European Journal of Plant Pathology*, 109, 7, pp 645-667
<Go to ISI>://000185661500002
- Logrieco, A., Moretti, A., Castella, G., Kostecky, M., Golinski, P., Ritieni, A., & Chelkowski, J. (1998)**
Beauvericin production by *Fusarium* species. *Applied and Environmental Microbiology*, 64, 8, pp 3084-3088
<Go to ISI>://000075127200052
- Logrieco, A., Moretti, A., Ritieni, A., Botalico, A., & Corda, P. (1995)**
Occurrence and Toxigenicity of *Fusarium-Proliferatum* from Preharvest Maize Ear Rot, and Associated Mycotoxins, in Italy. *Plant Disease*, 79, 7, pp 727-731
<Go to ISI>://A1995RH93500015
- Logrieco, A., Mule, G., Moretti, A., & Botalico, A. (2002)**
Toxigenic *Fusarium* species and mycotoxins associated with maize ear rot in Europe. *European Journal of Plant Pathology*, 108, 7, pp 597-609
<Go to ISI>://000178595700001
- Lu, Y., Clifford, L., Hauck, C.C., Hendrich, S., Osweiler, G., & Murphy, P.A. (2002)**
Characterization of fumonisin B-1-glucose reaction kinetics and products. *Journal of Agricultural and Food Chemistry*, 50, 16, pp 4726-4733
<Go to ISI>://000177109400050

- Lu, Z., Dantzer, W.R., Hopmans, E.C., Prisk, V., Cunnick, J.E., Murphy, P.A., & Hendrich, S. (1997)**
Reaction with fructose detoxifies fumonisin B-1 while stimulating liver-associated natural killer cell activity in rats. *Journal of Agricultural and Food Chemistry*, 45, 3, pp 803-809
<Go to ISI>://A1997WP00200046
- Lutz, M.P., Feichtinger, G., Defago, G., & Duffy, B. (2003)**
Mycotoxigenic *Fusarium* and deoxynivalenol production repress chitinase gene expression in the biocontrol agent *Trichoderma atroviride* P1. *Applied and Environmental Microbiology*, 69, 6, pp 3077-3084
<Go to ISI>://000187156200006
- Macgeorge, K.M. & Mantle, P.G. (1990)**
Nephrotoxicity of *Penicillium-Aurantiogriseum* and P-Commune from an Endemic Nephropathy Area of Yugoslavia. *Mycopathologia*, 112, 3, pp 139-145
<Go to ISI>://A1990EQ75500002
- Machinski, M., Soares, L.M.V., Sawazaki, E., Bolonhezi, D., Castro, J.L., & Bortolletto, N. (2001)**
Aflatoxins, ochratoxin A and zearalenone in Brazilian corn cultivars. *Journal of the Science of Food and Agriculture*, 81, 10, pp 1001-1007
<Go to ISI>://000170055000004
- Magan, N., Hope, R., Cairns, V., & Aldred, D. (2003)**
Post-harvest fungal ecology: Impact of fungal growth and mycotoxin accumulation in stored grain. *European Journal of Plant Pathology*, 109, 7, pp 723-730
<Go to ISI>://000185661500008
- Magg, T., Melchinger, A.E., Klein, D., & Bohn, M. (2002)**
Relationship between European corn borer resistance and concentration of mycotoxins produced by *Fusarium* spp. in grains of transgenic Bt maize hybrids, their isogenic counterparts, and commercial varieties. *Plant Breeding*, 121, 2, pp 146-154
<Go to ISI>://000175211000008
- Mahfoud, R., Maresca, M., Santelli, M., Pfohl-Leszkowicz, A., Puigserver, A., & Fantini, J. (2002)**
pH-dependent interaction of fumonisin B-1 with cholesterol: Physicochemical and molecular modeling studies at the air-water interface. *Journal of Agricultural and Food Chemistry*, 50, 2, pp 327-331
<Go to ISI>://000173214500014
- Mahmoud, A.L.E. (1993)**
Toxicogenic Fungi and Mycotoxin Content in Poultry Feedstuff Ingredients. *Journal of Basic Microbiology*, 33, 2, pp 101-104
<Go to ISI>://A1993LF64200003
- Maragos, C.M., Jolley, M.E., & Nasir, M.S. (2002)**
Fluorescence polarization as a tool for the determination of deoxynivalenol in wheat. *Food Additives and Contaminants*, 19, 4, pp 400-407
<Go to ISI>://000174547600010
- Maragos, C.M., Jolley, M.E., Plattner, R.D., & Nasir, M.S. (2001)**
Fluorescence polarization as a means for determination of fumonisins in maize. *Journal of Agricultural and Food Chemistry*, 49, 2, pp 596-602
<Go to ISI>://000167127900011
- Maragos, C.M. & Kim, E.K. (2004)**
Detection of zearalenone and related metabolites by fluorescence polarization immunoassay. *Journal of Food Protection*, 67, 5, pp 1039-1043
<Go to ISI>://000221373600030
- Maragos, C.M. & McCormick, S.P. (2000)**
Monoclonal antibodies for the mycotoxins deoxynivalenol and 3- acetyl-deoxynivalenol. *Food and Agricultural Immunology*, 12, 3, pp 181-192
<Go to ISI>://000089567100001
- Maragos, C.M. & Plattner, R.D. (2002)**
Rapid fluorescence polarization immunoassay for the mycotoxin deoxynivalenol in wheat. *Journal of Agricultural and Food Chemistry*, 50, 7, pp 1827-1832
<Go to ISI>://000174587600012
- Maragos, C.M. & Thompson, V.S. (1999)**
Fiber-optic immunosensor for mycotoxins. *Natural Toxins*, 7, 6, pp 371-376
<Go to ISI>://000166017400022

- Marasas, W.F.O., Riley, R.T., Hendricks, K.A., Stevens, V.L., Sadler, T.W., Gelineau-van Waes, J., Missmer, S.A., Cabrera, J., Torres, O., Gelderblom, W.C.A., Allegood, J., Martinez, C., Maddox, J., Miller, J.D., Starr, L., Sullards, M.C., Roman, A.V., Voss, K.A., Wang, E., & Merrill, A.H. (2004)**
Fumonisin disrupt sphingolipid metabolism, folate transport, and neural tube development in embryo culture and in vivo: A potential risk factor for human neural tube defects among populations consuming fumonisin-contaminated maize. *Journal of Nutrition*, 134, 4, pp 711-716
<Go to ISI>://000220681700002
- Marasas, W.F.O., Riley, R.T., Hendricks, K.A., Stevens, V.L., Sadler, T.W., Gelineau-van Waes, J., Missmer, S.A., Cabrera, J., Torres, O., Gelderblom, W.C.A., Allegood, J., Martinez, C., Maddox, J., Miller, J.D., Starr, L., Sullards, M.C., Roman, A.V., Voss, K.A., Wang, E., & Merrill, A.H. (2004)**
Fumonisin disrupt sphingolipid metabolism, folate transport, and neural tube development in embryo culture and in vivo: A potential risk factor for human neural tube defects among populations consuming fumonisin-contaminated maize. *Journal of Nutrition*, 134, 4, pp 711-716
<http://www.botanischergarten.ch/Mycotoxins/Marasas-Fumonisin.pdf>
- Marin, S., Albareda, X., Ramos, A.J., & Sanchis, V. (2001)**
Impact of environment and interactions of *Fusarium verticillioides* and *Fusarium proliferatum* with *Aspergillus parasiticus* on fumonisin B-1 and aflatoxins on maize grain. *Journal of the Science of Food and Agriculture*, 81, 11, pp 1060-1068
<Go to ISI>://000170434400002
- Marin, S., Magan, N., Abellana, M., Canela, R., Ramos, A.J., & Sanchis, V. (2000)**
Selective effect of propionates and water activity on maize mycoflora and impact on fumonisin B-1 accumulation. *Journal of Stored Products Research*, 36, 2, pp 203-214
<Go to ISI>://000086150400011
- Marin, S., Sanchis, V., Rull, F., Ramos, A.J., & Magan, N. (1998)**
Colonization of maize grain by *Fusarium moniliforme* and *Fusarium proliferatum* in the presence of competing fungi and their impact on fumonisin production. *Journal of Food Protection*, 61, 11, pp 1489-1496
<Go to ISI>://000076988500012
- Marin, S., Velluti, A., Munoz, A., Ramos, A.J., & Sanchis, V. (2003)**
Control of fumonisin B-1 accumulation in naturally contaminated maize inoculated with *Fusarium verticillioides* and *Fusarium proliferatum*, by cinnamon, clove, lemongrass, oregano and palmarosa essential oils. *European Food Research and Technology*, 217, 4, pp 332-337
<Go to ISI>://000185809500012
- Masoero, F., Moschini, M., Rossi, F., Prandini, A., & Pietri, A. (1999)**
Nutritive value, mycotoxin contamination and in vitro rumen fermentation of normal and genetically modified corn (cry1A(b)) grown in northern Italy. *Maydica*, 44, 3, pp 205-209
<Go to ISI>://000083838800003
- Mathies, A. & Buchenauer, H. (2000)**
Effect of tebuconazole (Folicur (R)) and prochloraz (Sportak (R)) treatments on *Fusarium* head scab development, yield and deoxynivalenol (DON) content in grains of wheat following artificial inoculation with *Fusarium culmorum*. *Zeitschrift Fur Pflanzenkrankheiten Und Pflanzenschutz-Journal of Plant Diseases and Protection*, 107, 1, pp 33-52
<Go to ISI>://000085959100003
- Mathies, A., Walker, F., & Buchenauer, H. (1999)**
Interference of selected fungicides, plant growth retardants as well as piperonyl butoxide and 1-aminobenzotriazole in trichothecene production of *Fusarium graminearum* (strain 4528) in vitro. *Zeitschrift Fur Pflanzenkrankheiten Und Pflanzenschutz-Journal of Plant Diseases and Protection*, 106, 2, pp 198-212
<Go to ISI>://000080536300009
- Maupin, L.M., Clements, M.J., & White, D.G. (2003)**
Evaluation of the M182 corn line as a source of resistance to aflatoxin in grain and use of BGYF as a selection tool. *Plant Disease*, 87, 9, pp 1059-1066
<Go to ISI>://000184975100008
- Mayer, Z., Bagnara, A., Farber, P., & Geisen, R. (2003)**
Quantification of the copy number of nor-1, a gene of the aflatoxin biosynthetic pathway by real-time PCR, and its correlation to the cfu of *Aspergillus flavus* in foods. *International Journal of Food Microbiology*, 82, 2, pp 143-151
<Go to ISI>://000181786700006
- Medina-Martinez, M.S. & Martinez, A.J. (2000)**
Mold occurrence and aflatoxin B-1 and fumonisin B-1 determination in corn samples in Venezuela. *Journal of Agricultural and Food Chemistry*, 48, 7, pp 2833-2836
<Go to ISI>://000088319600038
- Meister, U. (2001)**
Investigations on the change of fumonisin content of maize during hydrothermal treatment of maize. Analysis by means of HPLC methods and ELISA. *European Food Research and Technology*, 213, 3, pp 187-193
<Go to ISI>://000171268200006

- Meister, U., Symmank, H., & Dahlke, H. (1996)**
Investigation and evaluation of the contamination of native and imported cereals with fumonisins. *Zeitschrift Fur Lebensmittel-Untersuchung Und-Forschung*, 203, 6, pp 528-533
<Go to ISI>://A1996WB68200007
- Mendez-Albores, J.A., Arambula, V.G., Vazquez, B.M.E., Mendoza, E.M., Preciado, O.R.E., & Moreno-Martinez, E. (2003)**
Effect of high moisture maize storage on tortilla quality. *Journal of Food Science*, 68, 5, pp 1878-1881
<Go to ISI>://000183947000056
- Mendez-Albores, J.A., Arambula-Villa, G., Loarca-Pina, M.G., Gonzalez-Hernandez, J., Castano-Tostado, E., & Moreno-Martinez, E. (2004)**
Aflatoxins' fate during the nixtamalization of contaminated maize by two tortilla-making processes. *Journal of Stored Products Research*, 40, 1, pp 87-94
<Go to ISI>://000185788300008
- Mendez-Albores, J.A., Arambula-Villa, G., Preciado-Ortiz, R.E., & Moreno-Martinez, E. (2004)**
Aflatoxins in pozol, a nixtamalized, maize-based food. *International Journal of Food Microbiology*, 94, 2, pp 211-215
<Go to ISI>://000222374900009
- Miedaner, T., Reinbrecht, C., & Schilling, A.G. (2000)**
Association among aggressiveness, fungal colonization, and mycotoxin production of 26 isolates of *Fusarium graminearum* in winter rye head blight. *Zeitschrift Fur Pflanzenkrankheiten Und Pflanzenschutz-Journal of Plant Diseases and Protection*, 107, 2, pp 124-134
<Go to ISI>://000086890800002
- Miller, H. & Conco, G. (2004)**
The Frankenfood Myth, How Protest and Politics Threaten the Biotech Revolution Praeger Publishers, London, IS: 0-275-97879-6, pp 296
http://www.greenwood.com/books/BookDetail.asp?dept_id=1&sku=C7879
- Miller, J.D. (2001)**
Factors that affect the occurrence of fumonisin. *Environmental Health Perspectives*, 109, pp 321-324
<Go to ISI>://000168824500020
- Miller, J.D. (2002)**
Aspects of the ecology of *Fusarium* toxins in cereals. In *Mycotoxins and Food Safety*, Vol. 504, pp. 19-27. KLUWER ACADEMIC / PLENUM PUBL, New York Advances in Experimental Medicine and Biology,
<Go to ISI>://000175261000002
- Miller, J.D., Fielder, D.A., Dowd, P.F., Norton, R.A., & Collins, F.W. (1996)**
Isolation of 4-acetyl-benzoxazolin-2-one (4-ABOA) and diferuloylputrescine from an extract of gibberella ear rot- resistant corn that blocks mycotoxin biosynthesis, and the insect toxicity of 4-ABOA and related compounds. *Biochemical Systematics and Ecology*, 24, 7-8, pp 647-658
<Go to ISI>://A1996WD69700006
- Miller, J.D., Miles, M., & Fielder, D.A. (1997)**
Kernel concentrations of 4-acetylbenzoxazolin-2-one and diferuloylputrescine in maize genotypes and gibberella ear rot. *Journal of Agricultural and Food Chemistry*, 45, 11, pp 4456-4459
<Go to ISI>://A1997YH16200048
- Miller, J.D., Savard, M.E., Schaafsma, A.W., Seifert, K.A., & Reid, L.M. (1995)**
Mycotoxin production by *Fusarium moniliforme* and *Fusarium proliferatum* from Ontario and occurrence of fumonisin in the 1993 corn crop. *Canadian Journal of Plant Pathology-Revue Canadienne De Phytopathologie*, 17, 3, pp 233-239
<Go to ISI>://A1995TR40500006
- Minervini, F., Dell'Aquila, M.E., Maritato, F., Minoia, P., & Visconti, A. (2001)**
Toxic effects of the mycotoxin zearalenone and its derivatives on in vitro maturation of bovine oocytes and 17 beta-estradiol levels in mural granulosa cell cultures. *Toxicology in Vitro*, 15, 4-5, pp 489-495
<Go to ISI>://000170935200038
- Mirete, S., Vazquez, C., Mule, G., Jurado, M., & Gonzalez-Jaen, M.T. (2004)**
Differentiation of *Fusarium verticillioides* from banana fruits by IGS and EF-1 alpha sequence analyses. *European Journal of Plant Pathology*, 110, 5-6, pp 515-523
<Go to ISI>://000222172600007
- Mitterbauer, R. & Adam, G. (2002)**
Saccharomyces cerevisiae and *Arabidopsis thaliana*: Useful model systems for the identification of molecular mechanisms involved in resistance of plants to toxins. *European Journal of Plant Pathology*, 108, 7, pp 699-703
<Go to ISI>://000178595700013

- Mitterbauer, R., Poppenberger, B., Raditschnig, A., Lucyshyn, D., Lemmens, M., Glossl, J., & Adam, G. (2004)**
Toxin-dependent utilization of engineered ribosomal protein L3 limits trichothecene resistance in transgenic plants. *Plant Biotechnology Journal*, 2, 4, pp 329-340
<Go to ISI>://000222396800007
- Mitterbauer, R., Weindorfer, H., Safaie, N., Krska, R., Lemmens, M., Ruckenbauer, P., Kuchler, K., & Adam, G. (2003)**
A sensitive and inexpensive yeast bioassay for the mycotoxin zearalenone and other compounds with estrogenic activity. *Applied and Environmental Microbiology*, 69, 2, pp 805-811
<Go to ISI>://000180927100011
- Monti, S.M., Fogliano, V., Randazzo, G., Peluso, G., Logrieco, A., & Ritieni, A. (1999)**
Polyclonal antibodies against fusaproliferin. *Canadian Journal of Microbiology*, 45, 1, pp 45-50
<Go to ISI>://000080212200007
- Moore, K.G., Price, M.S., Boston, R.S., Weissinger, A.K., & Payne, G.A. (2004)**
A chitinase from Tex6 maize kernels inhibits growth of *Aspergillus flavus*. *Phytopathology*, 94, 1, pp 82-87
<Go to ISI>://000220532100008
- Moretti, A., Mule, G., Susca, A., Gonzalez-Jaen, M.T., & Logrieco, A. (2004)**
Toxin profile, fertility and AFLP analysis of *Fusarium verticillioides* from banana fruits. *European Journal of Plant Pathology*, 110, 5-6, pp 601-609
<Go to ISI>://000222172600015
- Mortensen, G.K., Strobel, B.W., & Hansen, H.C.B. (2003)**
Determination of zearalenone and ochratoxin A in soil. *Analytical and Bioanalytical Chemistry*, 376, 1, pp 98-101
<Go to ISI>://000183246700016
- Muhitch, M.J., McCormick, S.P., Alexander, N.J., & Hohn, T.M. (2000)**
Transgenic expression of the TRI101 or PDR5 gene increases resistance of tobacco to the phytotoxic effects of the trichothecene 4,15-diacetoxyscirpenol. *Plant Science*, 157, 2, pp 201-207
<Go to ISI>://000089084900007
- Munimbazi, C. & Bullerman, L.B. (1998)**
High-performance liquid chromatographic method for the determination of moniliformin in corn. *Journal of Aoac International*, 81, 5, pp 999-1004
<Go to ISI>://000076117400012
- Munkvold, G. & Hellmich, R. (1999)**
Electronic Source: Genetically modified, insect resistant corn: Implications for disease management, A. Feature, APSnet, Plant Pathology Online, The American Phytopathological Society (APS) Copyright 1994-2004, accessed: 2004
<http://www.apsnet.org/online/feature/BtCorn/Top.html>
- Munkvold, G.P. (2003)**
Cultural and genetic approaches to managing mycotoxins in maize. *Annual Review of Phytopathology*, 41, pp 99-116
<Go to ISI>://000186493900006
- Munkvold, G.P. (2003)**
Epidemiology of *Fusarium* diseases and their mycotoxins in maize ears. *European Journal of Plant Pathology*, 109, 7, pp 705-713
<Go to ISI>://000185661500006
- Muthomi, J.W., Oerke, E.C., Mutitu, E.W., Schade-Schuetze, A., & Dehne, H.W. (2002)**
Variation among *Fusarium* species and isolates infecting wheat ears based on aggressiveness, mycotoxin production and RAPD-PCR analysis. *Zeitschrift Fur Pflanzenkrankheiten Und Pflanzenschutz-Journal of Plant Diseases and Protection*, 109, 5, pp 462-477
- Muthomi, J.W., Schutze, A., Dehne, H.W., Mutitu, E.W., & Oerke, E.C. (2000)**
Characterization of *Fusarium* culmorum isolates by mycotoxin production and aggressiveness to winter wheat. *Zeitschrift Fur Pflanzenkrankheiten Und Pflanzenschutz-Journal of Plant Diseases and Protection*, 107, 2, pp 113-123
<Go to ISI>://000086890800001
- Nadubinska, M., Ritieni, A., Moretti, A., & Srobarova, A. (2003)**
Chlorophyll content in maize plants after treatment with fusariotoxins. *Biologia*, 58, 1, pp 115-119
<Go to ISI>://000181545100017
- Naidoo, G., Forbes, A.M., Paul, C., White, D.G., & Rocheford, T.R. (2002)**
Resistance to aspergillus ear rot and aflatoxin accumulation in maize F-1 hybrids. *Crop Science*, 42, 2, pp 360-364
<Go to ISI>://000174093500007
- Nayak, S., Sashidhar, R.B., & Bhat, R.V. (2001)**
Quantification and validation of enzyme immunoassay for urinary aflatoxin B-1-N-7-guanine adduct for biological monitoring of aflatoxins. *Analyst*, 126, 2, pp 179-183
<Go to ISI>://000166816300011

- Nesci, A. & Etcheverry, M. (2002)**
Aspergillus section Flavi populations from field maize in Argentina. *Letters in Applied Microbiology*, 34, 5, pp 343-348
<Go to ISI>://000175732300006
- Nesci, A., Etcheverry, M., & Magan, N. (2004)**
Osmotic and matrix potential effects on growth, sugar alcohol and sugar accumulation by Aspergillus section Flavi strains from Argentina. *Journal of Applied Microbiology*, 96, 5, pp 965-972
<Go to ISI>://000221329000008
- Nesci, A., Rodriguez, M., & Etcheverry, M. (2003)**
Control of Aspergillus growth and aflatoxin production using antioxidants at different conditions of water activity and pH. *Journal of Applied Microbiology*, 95, 2, pp 279-287
<Go to ISI>://000184110900010
- Ngoko, Z., Marasas, W.F.O., Rheeder, J.P., Shephard, G.S., Wingfield, M.J., & Cardwell, K.F. (2001)**
Fungal infection and mycotoxin contamination of maize in the Humid Forest and the Western Highlands of Cameroon. *Phytoparasitica*, 29, 4, pp 352-360
<Go to ISI>://000170618600007
- Nichols, S.J. & Mackwell, S.J. (1991)**
Grain-Growth in Porous Olivine Aggregates. *Physics and Chemistry of Minerals*, 18, 4, pp 269-278
<Go to ISI>://A1991GR23400008
- Nout, M.J.R., Platis, C.E., & Wicklow, D.T. (1997)**
Biodiversity of yeasts from Illinois maize. *Canadian Journal of Microbiology*, 43, 4, pp 362-367
<Go to ISI>://A1997XB72700008
- Odhav, B. & Naicker, V. (2002)**
Mycotoxins in South African traditionally brewed beers. *Food Additives and Contaminants*, 19, 1, pp 55-61
<Go to ISI>://000173206000008
- Ohmomo, S., Kitamoto, H.K., & Nakajima, T. (1994)**
Detection of Roquefortines in Penicillium-Roqueforti Isolated from Molded Maize Silage. *Journal of the Science of Food and Agriculture*, 64, 2, pp 211-215
<Go to ISI>://A1994MY53900009
- Okubara, P.A., Blechl, A.E., McCormick, S.P., Alexander, N.J., Dill-Macky, R., & Hohn, T.M. (2002)**
Engineering deoxynivalenol metabolism in wheat through the expression of a fungal trichothecene acetyltransferase gene. *Theoretical and Applied Genetics*, 106, 1, pp 74-83
<Go to ISI>://000180630000009
- O'Neill, K., Damoglou, A.P., & Patterson, M.F. (1996)**
The influence of gamma radiation and substrate on mycotoxin production by Fusarium culmorum IMI 309344. *Journal of Applied Bacteriology*, 81, 5, pp 518-524
<Go to ISI>://A1996VR65900009
- Ono, E.Y.S., Ono, M.A., Funo, F.Y., Medina, A.E., Oliveira, T., Kawamura, O., Ueno, Y., & Hirooka, E.Y. (2001)**
Evaluation of fumonisin-aflatoxin co-occurrence in Brazilian corn hybrids by ELISA. *Food Additives and Contaminants*, 18, 8, pp 719-729
<Go to ISI>://000170014200004
- Ono, E.Y.S., Sasaki, E.Y., Hashimoto, E.H., Hara, L.N., Correa, B., Itano, E.N., Sugiura, T., Ueno, Y., & Hirooka, E.Y. (2002)**
Post-harvest storage of corn: effect of beginning moisture content on mycoflora and fumonisin contamination. *Food Additives and Contaminants*, 19, 11, pp 1081-1090
<Go to ISI>://000179163600011
- Oren, L., Ezrati, S., Cohen, D., & Sharon, A. (2003)**
Early events in the Fusarium verticillioides-maize interaction characterized by using a green fluorescent protein-expressing transgenic isolate. *Applied and Environmental Microbiology*, 69, 3, pp 1695-1701
<Go to ISI>://000181435600048
- Orsi, R.B., Correa, B., Possi, C.R., Schammas, E.A., Nogueira, J.R., Dias, S.M.C., & Malozzi, M.A.B. (2000)**
Mycoflora and occurrence of fumonisins in freshly harvested and stored hybrid maize. *Journal of Stored Products Research*, 36, 1, pp 75-87
<Go to ISI>://000084769200008
- Oswald, I.P., Desautels, C., Laffitte, J., Fournout, S., Peres, S.Y., Odin, M., Le Bars, P., Le Bars, J., & Fairbrother, J.M. (2003)**
Mycotoxin fumonisin B-1 increases intestinal colonization by pathogenic Escherichia coli in pigs. *Applied and Environmental Microbiology*, 69, 10, pp 5870-5874
<Go to ISI>://000185881300018

- Oyebanji, A.O. & Efiuvwevwere, B.J.O. (1999)**
Growth of spoilage mould and aflatoxin B-1 production in naturally contaminated or artificially inoculated maize as influenced by moisture content under ambient tropical condition. *International Biodeterioration & Biodegradation*, 44, 4, pp 209-217
<Go to ISI>://000086173600004
- Pacin, A.M., Gonzalez, H.H.L., Etcheverry, M., Resnik, S.L., Vivas, L., & Espin, S. (2002)**
Fungi associated with food and feed commodities from Ecuador. *Mycopathologia*, 156, 2, pp 87-92
<Go to ISI>://000181762700008
- Palencia, E., Torres, O., Hagler, W., Meredith, F.I., Williams, L.D., & Riley, R.T. (2003)**
Total fumonisins are reduced in tortillas using the traditional nixtamalization method of mayan communities. *Journal of Nutrition*, 133, 10, pp 3200-3203
<Go to ISI>://000185711400033
- Palermo, D., Pietrobono, P., Palermo, C., & Rotunno, T. (2002)**
Occurrence of ochratoxin a in cereals from Puglia (Italy). *Italian Journal of Food Science*, 14, 4, pp 447-453
<Go to ISI>://000180935800011
- Papp, E., H-Otta, K., Zaray, G., & Mincsovcis, E. (2002)**
Liquid chromatographic determination of aflatoxins. *Microchemical Journal*, 73, 1-2, pp 39-46
<Go to ISI>://000178685700007
- Park, J.W., Kim, E.K., Shon, D.H., & Kim, Y.B. (2002)**
Natural co-occurrence of aflatoxin B-1, fumonisin B-1 and ochratoxin A in barley and corn foods from Korea. *Food Additives and Contaminants*, 19, 11, pp 1073-1080
<Go to ISI>://000179163600010
- Pascale, M., Visconti, A., Avantiaggiato, G., Pronczuk, M., & Chelkowski, J. (1999)**
Mycotoxin contamination of maize hybrids after infection with *Fusarium proliferatum*. *Journal of the Science of Food and Agriculture*, 79, 15, pp 2094-2098
<Go to ISI>://000084669500006
- Pascale, M., Visconti, A., & Chelkowski, J. (2002)**
Ear rot susceptibility and mycotoxin contamination of maize hybrids inoculated with *Fusarium* species under field conditions. *European Journal of Plant Pathology*, 108, 7, pp 645-651
<Go to ISI>://000178595700006
- Pascale, M., Visconti, A., Pronczuk, M., Wisniewska, H., & Chelkowski, J. (2002)**
Accumulation of fumonisins, beauvericin and fusaproliferin in maize hybrids inoculated under field conditions with *Fusarium proliferatum*. *Mycological Research*, 106, pp 1026-1030
<Go to ISI>://000179299000005
- Patino, B., Mirete, S., Gonzalez-Jaen, M.T., Mule, G., Rodriguez, M.T., & Vazquez, C. (2004)**
PCR detection assay of fumonisin-producing *Fusarium verticillioides* strains. *Journal of Food Protection*, 67, 6, pp 1278-1283
<Go to ISI>://000221897200033
- Paul, C., Naidoo, G., Forbes, A., Mikkilineni, V., White, D., & Rocheford, T. (2003)**
Quantitative trait loci for low aflatoxin production in two related maize populations. *Theoretical and Applied Genetics*, 107, 2, pp 263-270
<Go to ISI>://000184029100009
- Pearson, T.C., Wicklow, D.T., Maghirang, E.B., Xie, F., & Dowell, F.E. (2001)**
Detecting aflatoxin in single corn kernels by transmittance and reflectance spectroscopy. *Transactions of the Asae*, 44, 5, pp 1247-1254
<Go to ISI>://000172990200026
- Pearson, T.C., Wicklow, D.T., & Pasikatan, M.C. (2004)**
Reduction of aflatoxin and fumonisin contamination in yellow corn by high-speed dual-wavelength sorting. *Cereal Chemistry*, 81, 4, pp 490-498
<Go to ISI>://000222743700011
- Perkowski, J., Pronczuk, M., & Chelkowski, J. (1997)**
Deoxynivalenol and acetyldeoxynivalenol accumulation in field maize inoculated with *Fusarium graminearum*. *Journal of Phytopathology-Phytopathologische Zeitschrift*, 145, 2-3, pp 113-116
<Go to ISI>://A1997XG20300009
- Pföhleszkowicz, A., Chekirghedira, L., & Bacha, H. (1995)**
Genotoxicity of Zearalenone, an Estrogenic Mycotoxin - DNA Adduct Formation in Female Mouse-Tissues. *Carcinogenesis*, 16, 10, pp 2315-2320
<Go to ISI>://A1995TA47600005

- Picco, M., Nesci, A., Barros, G., Cavaglieri, L., & Etcheverry, M. (1999)**
Aflatoxin B-1 and fumosin B-1 in mixed cultures of *Aspergillus flavus* and *Fusarium proliferatum* on maize. *Natural Toxins*, 7, 6, pp 331-336
<Go to ISI>://000166017400015
- Pietri, A., Bertuzzi, T., Pallaroni, L., & Piva, G. (2004)**
Occurrence of mycotoxins and ergosterol in maize harvested over 5 years in Northern Italy. *Food Additives and Contaminants*, 21, 5, pp 479-487
<Go to ISI>://000221241900009
- Pineda-Valdes, G., Ryu, D., Jackson, D.S., & Bullerman, L.B. (2002)**
Reduction of moniliformin during alkaline cooking of corn. *Cereal Chemistry*, 79, 6, pp 779-782
<Go to ISI>://000179093500007
- Piramanayagam, S. & George, V.T. (2002)**
Effect of dietary fumonisin mycotoxin on the growth rate of broiler chicken. *Indian Veterinary Journal*, 79, 10, pp 1022-1025
<Go to ISI>://000178673000007
- Pirttila, A.M., McIntyre, L.M., Payne, G.A., & Woloshuk, C.P. (2004)**
Expression profile analysis of wild-type and *fec1* mutant strains of *Fusarium verticillioides* during fumonisin biosynthesis. *Fungal Genetics and Biology*, 41, 6, pp 647-656
<Go to ISI>://000221440100006
- Pitt, J.I. (2000)**
Toxigenic fungi: which are important? *Medical Mycology*, 38, pp 17-22
<Go to ISI>://000166958800003
- Poppenberger, B., Berthiller, F., Lucyshyn, D., Sieberer, T., Schuhmacher, R., Krska, R., Kuchler, K., Glossl, J., Luschnig, C., & Adam, G. (2003)**
Detoxification of the *Fusarium* mycotoxin deoxynivalenol by a UDP-glucosyltransferase from *Arabidopsis thaliana*. *Journal of Biological Chemistry*, 278, 48, pp 47905-47914
<Go to ISI>://000186731400068
- Prasongsidh, B.C., Kailasapathy, K., Skurray, G.R., & Bryden, W.L. (1998)**
Kinetic study of cyclopiazonic acid during the heat-processing of milk. *Food Chemistry*, 62, 4, pp 467-472
<Go to ISI>://000075406300009
- Prasongsidh, B.C., Kailasapathy, K., Sturgess, R., Skurray, G.R., & Bryden, W.L. (1999)**
Influence of manufacturing and storing of ice cream on cyclopiazonic acid. *Milchwissenschaft-Milk Science International*, 54, 3, pp 141-144
<Go to ISI>://000079961400007
- Proctor, R.H., Brown, D.W., Plattner, R.D., & Desjardins, A.E. (2003)**
Co-expression of 15 contiguous genes delineates a fumonisin biosynthetic gene cluster in *Gibberella moniliformis*. *Fungal Genetics and Biology*, 38, 2, pp 237-249
<Go to ISI>://000181566600009
- Proctor, R.H., Desjardins, A.E., McCormick, S.P., Plattner, R.D., Alexander, N.J., & Brown, D.W. (2002)**
Genetic analysis of the role of trichothecene and fumonisin mycotoxins in the virulence of *Fusarium*. *European Journal of Plant Pathology*, 108, 7, pp 691-698
<Go to ISI>://000178595700012
- Proctor, R.H., Desjardins, A.E., & Plattner, R.D. (1999)**
Biosynthetic and genetic relationships of B-series fumonisins produced by *Gibberella fujikuroi* mating population A. *Natural Toxins*, 7, 6, pp 251-258
<Go to ISI>://000166017400005
- Proctor, R.H., Desjardins, A.E., Plattner, R.D., & Hohn, T.M. (1999)**
A polyketide synthase gene required for biosynthesis of fumonisin mycotoxins in *Gibberella fujikuroi* slating population A. *Fungal Genetics and Biology*, 27, 1, pp 100-112
<Go to ISI>://000081854100009
- Rafai, P., Bata, A., Jakab, L., & Vanyi, A. (2000)**
Evaluation of mycotoxin-contaminated cereals for their use in animal feeds in Hungary. *Food Additives and Contaminants*, 17, 9, pp 799-808
<Go to ISI>://000089000800011
- Ramakrishna, N., Lacey, J., & Smith, J.E. (1996)**
Aspergillus flavus colonization and aflatoxin B-1 formation in barley grain during interaction with other fungi. *Mycopathologia*, 136, 1, pp 53-63
<Go to ISI>://A1996WV53900009

- Ramirez, M.L., Chulze, S., & Magan, N. (2004)**
Impact of environmental factors and fungicides on growth and deoxynivalenol production by *Fusarium graminearum* isolates from Argentinian wheat. *Crop Protection*, 23, 2, pp 117-125
<Go to ISI>://000188399500006
- Ranjan, K.S. & Sinha, A.K. (1991)**
Occurrence of Mycotoxigenic Fungi and Mycotoxins in Animal Feed from Bihar, India. *Journal of the Science of Food and Agriculture*, 56, 1, pp 39-47
<Go to ISI>://A1991GE98900004
- Rao, P.S., Gillespie, T.J., & Schaafsma, A.W. (1998)**
Estimating wetness duration on maize ears from meteorological observations. *Canadian Journal of Soil Science*, 78, 1, pp 149-154
<Go to ISI>://000073319700017
- Ratnavathi, C.V. & Sashidhar, R.B. (2000)**
Changes in enzyme activities and aflatoxin elaboration in sorghum genotypes following *Aspergillus parasiticus* infestation. *Journal of the Science of Food and Agriculture*, 80, 12, pp 1713-1721
<Go to ISI>://000089024400002
- Ratnavathi, C.V. & Sashidhar, R.B. (2003)**
Substrate suitability of different genotypes of sorghum in relation to *Aspergillus* infection and aflatoxin production. *Journal of Agricultural and Food Chemistry*, 51, 11, pp 3482-3492
<Go to ISI>://000182932700045
- Reid, L.M., Mather, D.E., & Hamilton, R.I. (1996)**
Distribution of deoxynivalenol in *Fusarium graminearum*-infected maize ears. *Phytopathology*, 86, 1, pp 110-114
<Go to ISI>://A1996TP77000012
- Reid, L.M., Nicol, R.W., Ouellet, T., Savard, M., Miller, J.D., Young, J.C., Stewart, D.W., & Schaafsma, A.W. (1999)**
Interaction of *Fusarium graminearum* and *F. moniliforme* in maize ears: Disease progress, fungal biomass, and mycotoxin accumulation. *Phytopathology*, 89, 11, pp 1028-1037
<Go to ISI>://000083329800007
- Reid, L.M. & Sinha, R.C. (1998)**
Maize maturity and the development of gibberella ear rot symptoms and deoxynivalenol after inoculation. *European Journal of Plant Pathology*, 104, 2, pp 147-154
<Go to ISI>://000073406000005
- Reid, L.M., Stewart, D.W., & Hamilton, R.I. (1996)**
A 4-year study of the association between Gibberella ear rot severity and deoxynivalenol concentration. *Journal of Phytopathology-Phytopathologische Zeitschrift*, 144, 9-10, pp 431-436
<Go to ISI>://A1996WD92300002
- Reid, L.M., Zhu, X., & Ma, B.L. (2001)**
Crop rotation and nitrogen effects on maize susceptibility to gibberella (*Fusarium graminearum*) ear rot. *Plant and Soil*, 237, 1, pp 1-14
<Go to ISI>://000172861900001
- Reid, L.M., Zhu, X., Savard, M.E., Sinha, R.C., & Vigier, B. (2000)**
Pre-harvest accumulation of deoxynivalenol in sweet corn ears inoculated with *Fusarium graminearum*. *Food Additives and Contaminants*, 17, 8, pp 689-701
<Go to ISI>://000088558600005
- Resnik, S., Neira, S., Pacin, A., Martinez, E., Apro, N., & Latreite, S. (1996)**
A survey of the natural occurrence of aflatoxins and zearalenone in Argentine field maize: 1983-1994. *Food Additives and Contaminants*, 13, 1, pp 115-120
<Go to ISI>://A1996TV78800012
- Reynoso, M.M., Torres, A.M., & Chulze, S.N. (2004)**
Fusaproliferin, beauvericin and fumonisin production by different mating populations among the *Gibberella fujikuroi* complex isolated from maize. *Mycological Research*, 108, pp 154-160
<Go to ISI>://000220606000005
- Reynoso, M.M., Torres, A.M., Ramirez, M.L., Rodriguez, M.I., Chulze, S.N., & Magan, N. (2002)**
Efficacy of antioxidant mixtures on growth, fumonisin production and hydrolytic enzyme production by *Fusarium verticillioides* and *F. proliferatum* in vitro on maize-based media. *Mycological Research*, 106, pp 1093-1099
<Go to ISI>://000179299000012
- Rheeder, J.P., Marasas, W.F.O., & Vismer, H.F. (2002)**
Production of fumonisin analogs by *Fusarium* species. *Applied and Environmental Microbiology*, 68, 5, pp 2101-2105
<Go to ISI>://000175407300002

- Rheeder, J.P., Sydenham, E.W., Marasas, W.F.O., Thiel, P.G., Shephard, G.S., Schlechter, M., Stockenstrom, S., Cronje, D.W., & Viljoen, J.H. (1995)**
Fungal Infestation and Mycotoxin Contamination of South-African Commercial Maize Harvested in 1989 and 1990. *South African Journal of Science*, 91, 3, pp 127-131
<Go to ISI>://A1995QY03200012
- Riley, R.T., Palencia, E., Torres, O., Hagler, W., Meredith, E., & Williams, L. (2003)**
Fate of fumonisin in maize during nixtamalization and tortilla production by Mayan communities in Guatemala. *Toxicological Sciences*, 72, 1, pp 1227
<Go to ISI>://000181518501232
- Ritieni, A., Monti, S.M., Randazzo, G., Logrieco, A., Moretti, A., Peluso, G., Ferracane, R., & Fogliano, V. (1997)**
Teratogenic effects of fusaproliferin on chicken embryos. *Journal of Agricultural and Food Chemistry*, 45, 8, pp 3039-3043
<Go to ISI>://A1997XR85600038
- Rosenberg, E., Kraska, R., Wissiack, R., Kmetov, V., Josephs, R., Razzazi, E., & Grasserbauer, M. (1998)**
High-performance liquid chromatography atmospheric-pressure chemical ionization mass spectrometry as a new tool for the determination of the mycotoxin zearalenone in food and feed. *Journal of Chromatography A*, 819, 1-2, pp 277-288
<Go to ISI>://000076082300031
- Roy, A.K. & Chourasia, H.K. (1990)**
Mycoflora, Mycotoxin Producibility and Mycotoxins in Traditional Herbal Drugs from India. *Journal of General and Applied Microbiology*, 36, 5, pp 295-302
<Go to ISI>://A1990EZ70400001
- Ruhland, M., Engelhardt, G., & Wallnofer, P.R. (1996)**
Transformation of the mycotoxin ochratoxin A in plants .2. Time course and rates of degradation and metabolite production in cell-suspension cultures of different crop plants. *Mycopathologia*, 134, 2, pp 97-102
<Go to ISI>://A1996VY79000007
- Ruhland, M., Engelhardt, G., Wallnofer, P.R., & Schafer, W. (1994)**
Transformation of the Mycotoxin Ochratoxin-a in Wheat and Maize Cell-Suspension Cultures. *Naturwissenschaften*, 81, 10, pp 453-454
<Go to ISI>://A1994PR64100007
- Russin, J.S., Guo, B.Z., Tubajika, K.M., Brown, R.L., Cleveland, T.E., & Widstrom, N.W. (1997)**
Comparison of kernel wax from corn genotypes resistant or susceptible to *Aspergillus flavus*. *Phytopathology*, 87, 5, pp 529-533
<Go to ISI>://A1997XN26800007
- Ryu, J.C., Yang, J.S., Song, Y.S., Kwon, O.S., Park, J., & Chang, I.M. (1996)**
Survey of natural occurrence of trichothecene mycotoxins and zearalenone in Korean cereals harvested in 1992 using gas chromatography mass spectrometry. *Food Additives and Contaminants*, 13, 3, pp 333-341
<Go to ISI>://A1996UH52900009
- Sayer, S.T. (1991)**
Fusarium Infection in Some Waikato Maize. *New Zealand Journal of Crop and Horticultural Science*, 19, 2, pp 149-155
<Go to ISI>://A1991GP92700010
- Schaafsma, A.W., Hooker, D.C., Baute, T.S., & Illincic-Tamburic, L. (2002)**
Effect of Bt-corn hybrids on deoxynivalenol content in grain at harvest. *Plant Disease*, 86, 10, pp 1123-1126
<Go to ISI>://000178170300011
- Schaafsma, A.W., Nicol, R.W., Savard, M.E., Sinha, R.C., Reid, L.M., & Rottinghaus, G. (1998)**
Analysis of Fusarium toxins in maize and wheat using thin layer chromatography. *Mycopathologia*, 142, 2, pp 107-113
<Go to ISI>://000078333300010
- Schuhmacher, R., Kraska, R., Weingaertner, J., & Grasserbauer, M. (1997)**
Interlaboratory comparison study for the determination of the Fusarium mycotoxins deoxynivalenol in wheat and zearalenone in maize using different methods. *Fresenius Journal of Analytical Chemistry*, 359, 6, pp 510-515
<Go to ISI>://A1997YJ05900008
- Scudamore, K.A., Hetmanski, M.T., Chan, H.K., & Collins, S. (1997)**
Occurrence of mycotoxins in raw ingredients used for animal feeding stuffs in the United Kingdom in 1992. *Food Additives and Contaminants*, 14, 2, pp 157-173
<Go to ISI>://A1997WK51100007
- Scudamore, K.A. & Livesey, C.T. (1998)**
Occurrence and significance of mycotoxins in forage crops and silage: a review. *Journal of the Science of Food and Agriculture*, 77, 1, pp 1-17
<Go to ISI>://000073633600001

- Scudamore, K.A., Nawaz, S., & Hetmanski, M.T. (1998)**
Mycotoxins in ingredients of animal feeding stuffs: II. determination of mycotoxins in maize and maize products. *Food Additives and Contaminants*, 15, 1, pp 30-55
<Go to ISI>://000071522200004
- Scudamore, K.A. & Patel, S. (2000)**
Survey for aflatoxins, ochratoxin A, zearalenone and fumonisins in maize imported into the United Kingdom. *Food Additives and Contaminants*, 17, 5, pp 407-416
<Go to ISI>://000087835900006
- Seo, J.A., Proctor, R.H., & Plattner, R.D. (2001)**
Characterization of four clustered and coregulated genes associated with fumonisin biosynthesis in *Fusarium verticillioides*. *Fungal Genetics and Biology*, 34, 3, pp 155-165
<Go to ISI>://000173226700002
- Setamou, M., Schulthess, F., Goergen, G., Poehling, H.M., & Borgemeister, C. (2002)**
Natural enemies of the maize cob borer, *Mussidia nigricornis* (Lepidoptera : Pyralidae) in Benin, West Africa. *Bulletin of Entomological Research*, 92, 4, pp 343-349
<Go to ISI>://000177120100010
- Severns, D.E., Clements, M.J., Lambert, R.J., & White, D.G. (2003)**
Comparison of *Aspergillus* ear rot and aflatoxin contamination in grain of high-oil and normal-oil corn hybrids. *Journal of Food Protection*, 66, 4, pp 637-643
<Go to ISI>://000182130900015
- Sewram, V., Mshicileli, N., Shephard, G.S., & Marasas, W.F.O. (2003)**
Fumonisin mycotoxins in human hair. *Biomarkers*, 8, 2, pp 110-118
<Go to ISI>://000183550200003
- Sewram, V., Nieuwoudt, T.W., Marasas, W.F.O., Shephard, G.S., & Ritieni, A. (1999)**
Determination of the mycotoxin moniliformin in cultures of *Fusarium subglutinans* and in naturally contaminated maize by high-performance liquid chromatography-atmospheric pressure chemical ionization mass spectrometry. *Journal of Chromatography A*, 848, 1-2, pp 185-191
<Go to ISI>://000081413600018
- Sharma, M. & Marquez, C. (2001)**
Determination of aflatoxins in domestic pet foods (dog and cat) using immunoaffinity column and HPLC. *Animal Feed Science and Technology*, 93, 1-2, pp 109-114
<Go to ISI>://000171062100008
- Sharman, M., Gilbert, J., & Chelkowski, J. (1991)**
A Survey of the Occurrence of the Mycotoxin Moniliformin in Cereal Samples from Sources Worldwide. *Food Additives and Contaminants*, 8, 4, pp 459-466
<Go to ISI>://A1991GQ19900006
- Shephard, G.S. (2003)**
Aflatoxin and food safety: Recent African perspectives. *Journal of Toxicology-Toxin Reviews*, 22, 2-3, pp 267-286
<Go to ISI>://000185165300007
- Shephard, G.S., Leggott, N.L., Stockenstrom, S., Somdyala, N.I.M., & Marasas, W.F.O. (2002)**
Preparation of South African maize porridge: effect on fumonisin mycotoxin levels. *South African Journal of Science*, 98, 7-8, pp 393-396
<Go to ISI>://000179074700022
- Shephard, G.S., Marasas, W.F.O., Yazdanpanah, H., Rahimian, H., Safavi, N., Zarghi, A., Shafaati, A., & Rasekh, H.R. (2002)**
Fumonisin B-1 in maize harvested in Iran during 1999. *Food Additives and Contaminants*, 19, 7, pp 676-679
<Go to ISI>://000176754000007
- Shephard, G.S. & Sewram, V. (2004)**
Determination of the mycotoxin fumonisin B-1 in maize by reversed-phase thin-layer chromatography: a collaborative study. *Food Additives and Contaminants*, 21, 5, pp 498-505
<Go to ISI>://000221241900011
- Shephard, G.S., Sewram, V., Nieuwoudt, T.W., Marasas, W.F.O., & Ritieni, A. (1999)**
Production of the mycotoxins fusaproliferin and beauvericin by South African isolates in the *Fusarium* section *Liseola*. *Journal of Agricultural and Food Chemistry*, 47, 12, pp 5111-5115
<Go to ISI>://000084374200045
- Shephard, G.S. & Snijman, P.W. (1999)**
Elimination and excretion of a single dose of the mycotoxin fumonisin B-2 in a nonhuman primate. *Food and Chemical Toxicology*, 37, 2-3, pp 111-116
<Go to ISI>://000079844600003

- Shepherd, M.J. & Gilbert, J. (1986)**
Method for the Analysis in Maize of the Fusarium Mycotoxin Moniliformin Employing Ion-Pairing Extraction and High-Performance Liquid-Chromatography. *Journal of Chromatography*, 358, 2, pp 415-422
<Go to ISI>://A1986C664200009
- Shier, W.T. (2000)**
The fumonisin paradox: A review of research on oral bioavailability of fumonisin B-1, a mycotoxin produced by *Fusarium moniliforme*. *Journal of Toxicology-Toxin Reviews*, 19, 2, pp 161-187
<Go to ISI>://000087187200003
- Shier, W.T., Abbas, H.K., Abou-Karam, M., Badria, F.A., & Resch, P.A. (2003)**
Fumonisin: Abiogenic conversions of an environmental tumor promoter and common food contaminant. *Journal of Toxicology-Toxin Reviews*, 22, 4, pp 591-616
<Go to ISI>://000187562600010
- Shim, W.B., Flaherty, J.E., & Woloshuk, C.P. (2003)**
Comparison of fumonisin B-1 biosynthesis in maize germ and degermed kernels by *Fusarium verticillioides*. *Journal of Food Protection*, 66, 11, pp 2116-2122
<Go to ISI>://000186488900022
- Simpson, D.R., Thomsett, M.A., & Nicholson, P. (2004)**
Competitive interactions between *Microdochium nivale* var. *majus*, *M-nivale* var. *nivale* and *Fusarium culmorum* in planta and in vitro. *Environmental Microbiology*, 6, 1, pp 79-87
<Go to ISI>://000187405300009
- Siranidou, E. & Buchenauer, H. (2001)**
Chemical control of *Fusarium* head blight on wheat. *Zeitschrift Fur Pflanzenkrankheiten Und Pflanzenschutz-Journal of Plant Diseases and Protection*, 108, 3, pp 231-243
<Go to ISI>://000170353200002
- Smart, M.G., Shotwell, O.L., & Caldwell, R.W. (1990)**
Pathogenesis in *Aspergillus* Ear Rot of Maize - Aflatoxin B-1 Levels in Grains around Wound-Inoculation Sites. *Phytopathology*, 80, 12, pp 1283-1286
<Go to ISI>://A1990EP58600005
- Smart, M.G., Wicklow, D.T., & Caldwell, R.W. (1990)**
Pathogenesis in *Aspergillus* Ear Rot of Maize - Light-Microscopy of Fungal Spread from Wounds. *Phytopathology*, 80, 12, pp 1287-1294
<Go to ISI>://A1990EP58600006
- Somashekar, D., Rati, E.R., & Chandrashekar, A. (2004)**
PCR-restriction fragment length analysis of aflR gene for differentiation and detection of *Aspergillus flavus* and *Aspergillus parasiticus* in maize. *International Journal of Food Microbiology*, 93, 1, pp 101-107
<Go to ISI>://000221775000009
- Srobarova, A., Moretti, A., Ferracane, R., Ritieni, A., & Logrieco, A. (2002)**
Toxicogenic *Fusarium* species of *Liseola* section in pre-harvest maize ear rot, and associated mycotoxins in slovakia. *European Journal of Plant Pathology*, 108, 4, pp 299-306
<Go to ISI>://000175803500003
- Stewart, D.W., Reid, L.M., Nicol, R.W., & Schaafsma, A.W. (2002)**
A mathematical simulation of growth of *Fusarium* in maize ears after artificial inoculation. *Phytopathology*, 92, 5, pp 534-541
<Go to ISI>://000175140800010
- Tagne, A., Kongsdal, O., Ngoko, Z., The, C., & Mathur, S.B. (2003)**
Fusarium pallidoroseum in maize samples of three agro-ecological zones of Cameroon. *Journal of Stored Products Research*, 39, 4, pp 367-374
<Go to ISI>://000181779100003
- Takahashi-Ando, N., Kimura, M., Kakeya, H., Osada, H., & Yamaguchi, I. (2002)**
A novel lactonohydrolase responsible for the detoxification of zearalenone: enzyme purification and gene cloning. *Biochemical Journal*, 365, pp 1-6
<Go to ISI>://000176879900001
- Takahashi-Ando, N., Ohsato, S., Shibata, T., Hamamoto, H., Yamaguchi, I., & Kimura, M. (2004)**
Metabolism of zearalenone by genetically modified organisms expressing the detoxification gene from *Clonostachys rosea*. *Applied and Environmental Microbiology*, 70, 6, pp 3239-3245
<Go to ISI>://000221981100007
- Theumer, M.G., Lopez, A.G., Masih, D.T., Chulze, S.N., & Rubinstein, H.R. (2003)**
Immunobiological effects of AFB1 and AFB1-FB1 mixture in experimental subchronic mycotoxicoses in rats. *Toxicology*, 186, 1-2, pp 159-170
<Go to ISI>://000181732800015

- Thirumala-Devi, K., Mayo, M.A., Reddy, G., & Reddy, D.V.R. (2002)**
Occurrence of aflatoxins and ochratoxin A in Indian poultry feeds. *Journal of Food Protection*, 65, 8, pp 1338-1340
<Go to ISI>://000177228500022
- Torres, A.M., Ramirez, M.L., Arroyo, M., Chulze, S.N., & Magan, N. (2003)**
Potential use of antioxidants for control of growth and fumonisin production by *Fusarium verticillioides* and *Fusarium proliferatum* on whole maize grain. *International Journal of Food Microbiology*, 83, 3, pp 319-324
<Go to ISI>://000183055800008
- Torres, A.M., Reynoso, M.M., Rojo, F.G., Ramirez, M.L., & Chulze, S.N. (2001)**
Fusarium species (section *Liseola*) and its mycotoxins in maize harvested in northern Argentina. *Food Additives and Contaminants*, 18, 9, pp 836-843
<Go to ISI>://000170526100009
- Trewavas, A. & Stewart, D. (2003)**
Paradoxical effects of chemicals in the diet on health. *Current Opinion in Plant Biology*, 6, 2, pp 185-190
<Go to ISI>://000182178700015
- Tubajika, K.M. & Damann, K.E. (2001)**
Sources of resistance to aflatoxin production in maize. *Journal of Agricultural and Food Chemistry*, 49, 5, pp 2652-2656
<Go to ISI>://000168915200088
- Tubajika, K.M. & Damann, K.E. (2002)**
Glufosinate-ammonium reduces growth and aflatoxin B-1 production by *Aspergillus flavus*. *Journal of Food Protection*, 65, 9, pp 1483-1487
<Go to ISI>://000177944700020
- Tubajika, K.M., Mascagni, H.J., Damann, K.E., & Russin, J.S. (2000)**
Susceptibility of commercial corn hybrids to aflatoxin contamination in Louisiana. *Cereal Research Communications*, 28, 4, pp 463-467
<Go to ISI>://000167023600014
- Turner, P.C., Nikiema, P., & Wild, C.P. (1999)**
Fumonisin contamination of food: progress in development of biomarkers to better assess human health risks. *Mutation Research-Genetic Toxicology and Environmental Mutagenesis*, 443, 1-2, pp 81-93
<Go to ISI>://000081753100006
- Udoh, J.M., Cardwell, K.F., & Ikotun, T. (2000)**
Storage structures and aflatoxin content of maize in five agroecological zones of Nigeria. *Journal of Stored Products Research*, 36, 2, pp 187-201
<Go to ISI>://000086150400010
- Usha, C.M., Patkar, K.L., Shetty, H.S., Kennedy, R., & Lacey, J. (1993)**
Fungal Colonization and Mycotoxin Contamination of Developing Rice Grain. *Mycological Research*, 97, pp 795-798
<Go to ISI>://A1993LN99100005
- van der Westhuizen, L., Shephard, G.S., Scussel, V.M., Costa, L.L.F., Vismer, H.F., Rheeder, J.P., & Marasas, W.F.O. (2003)**
Fumonisin contamination and *Fusarium* incidence in corn from Santa Catarina, Brazil. *Journal of Agricultural and Food Chemistry*, 51, 18, pp 5574-5578
<Go to ISI>://000184941500061
- Vanegmond, H.P. (1995)**
Mycotoxins - Regulations, Quality Assurance and Reference Materials. *Food Additives and Contaminants*, 12, 3, pp 321-330
<Go to ISI>://A1995RC65700004
- Vasanthi, S. & Bhat, R.V. (1998)**
Mycotoxins in foods - Occurrence, health & economic significance & food control measures. *Indian Journal of Medical Research*, 108, pp 212-224
<Go to ISI>://000077579000006
- Velluti, A., Marin, S., Gonzalez, R., Ramos, A.J., & Sanchis, V. (2001)**
Fumonisin B-1, zearalenone and deoxynivalenol production by *Fusarium moniliforme*, *F. proliferatum* and *F. graminearum* in mixed cultures on irradiated maize kernels. *Journal of the Science of Food and Agriculture*, 81, 1, pp 88-94
<Go to ISI>://000166561000015
- Velluti, A., Sanchis, V., Ramos, A.J., Egido, J., & Marin, S. (2003)**
Inhibitory effect of cinnamon, clove, lemongrass, oregano and palmarose essential oils on growth and fumonisin B-1 production by *Fusarium proliferatum* in maize grain. *International Journal of Food Microbiology*, 89, 2-3, pp 145-154
<Go to ISI>://000187443400004
- Vergopoulou, S., Galanopoulou, D., & Markaki, P. (2001)**
Methyl jasmonate stimulates aflatoxin B-1 biosynthesis by *Aspergillus parasiticus*. *Journal of Agricultural and Food Chemistry*, 49, 7, pp 3494-3498
<Go to ISI>://000170043400057

- Vigushin, D.M., Mirsaidi, N., Brooke, G., Sun, C., Pace, P., Inman, L., Moody, C.J., & Coombes, R.C. (2004)**
Gliotoxin is a dual inhibitor of farnesyltransferase and geranylgeranyltransferase I with antitumor activity against breast cancer in vivo. *Medical Oncology*, 21, 1, pp 21-30
<Go to ISI>://000220807200003
- Vonseckendorff, V. & Oneill, H.S.C. (1993)**
An Experimental-Study of Fe-Mg Partitioning between Olivine and Ortho-Pyroxene at 1173-K, 1273-K and 1423-K and 1.6-Gpa. *Contributions to Mineralogy and Petrology*, 113, 2, pp 196-207
<Go to ISI>://A1993KM81600004
- Walker, R.D. & White, D.G. (2001)**
Inheritance of resistance to aspergillus ear rot and aflatoxin production of corn from Cl2. *Plant Disease*, 85, 3, pp 322-327
<Go to ISI>://000167258200016
- Wallin, J.R., Widstrom, N.W., & Fortnum, B.A. (1991)**
Maize Populations with Resistance to Field Contamination by Aflatoxin-B1. *Journal of the Science of Food and Agriculture*, 54, 2, pp 235-238
<Go to ISI>://A1991FA04000008
- Wanyoike, M.W., Walker, F., & Buchenauer, H. (2002)**
Relationship between virulence, fungal biomass and mycotoxin production by *Fusarium graminearum* in winter wheat head blight. *Zeitschrift Fur Pflanzenkrankheiten Und Pflanzenschutz-Journal of Plant Diseases and Protection*, 109, 6, pp 589-600
<Go to ISI>://000180735700004
- Wenehed, V., Solyakov, A., Thylin, I., Haggblom, P., & Forsby, A. (2003)**
Cytotoxic response of *Aspergillus fumigatus*-produced mycotoxins on growth medium, maize and commercial animal feed substrates. *Food and Chemical Toxicology*, 41, 3, pp 395-403
<Go to ISI>://000180609800009
- Werner, D., Gelderblom, W., Marasas, W., & Hall, P. (2002)**
The effect of dietary iron overload on the toxicological of fumonisin Bi in mice Fischer rats. *Hepatology*, 36, 4, pp 2107
<Go to ISI>://000178301702089
- Wicklow, D.T. (1999)**
Influence of *Aspergillus flavus* strains on aflatoxin and bright greenish yellow fluorescence of corn kernels. *Plant Disease*, 83, 12, pp 1146-1148
<Go to ISI>://000083850100014
- Widstrom, N.W., Butron, A., Guo, B.Z., Wilson, D.M., Snook, M.E., Cleveland, T.E., & Lynch, R.E. (2003)**
Control of preharvest aflatoxin contamination in maize by pyramiding QTL involved in resistance to ear-feeding insects and invasion by *Aspergillus* spp. *European Journal of Agronomy*, 19, 4, pp 563-572
<Go to ISI>://000184564300008
- Widstrom, N.W., Guo, B.Z., & Wilson, D.M. (2003)**
Integration of crop management and genetics for control of preharvest aflatoxin contamination of corn. *Journal of Toxicology-Toxin Reviews*, 22, 2-3, pp 195-223
<Go to ISI>://000185165300005
- Widstrom, N.W., McMillian, W.W., Wilson, D.M., Richard, J.L., Zummo, N., & Beaver, R.W. (1994)**
Preharvest Aflatoxin Contamination of Maize Inoculated with *Aspergillus-Flavus* and *Fusarium-Moniliforme*. *Mycopathologia*, 128, 2, pp 119-123
<Go to ISI>://A1994QY29000010
- Wild, C.P. & Hall, A.J. (2000)**
Primary prevention of hepatocellular carcinoma in developing countries. *Mutation Research-Reviews in Mutation Research*, 462, 2-3, pp 381-393
<Go to ISI>://000086585200033
- Williams, K.C. & Blaney, B.J. (1994)**
Effect of the Mycotoxins, Nivalenol and Zearalenone, in Maize Naturally Infected with *Fusarium-Graminearum* on the Performance of Growing and Pregnant Pigs. *Australian Journal of Agricultural Research*, 45, 6, pp 1265-1279
<Go to ISI>://A1994NV04600013
- Williams, W.P., Buckley, P.M., & Windham, G.L. (2002)**
Southwestern corn borer (*Lepidoptera* : *Crambidae*) damage and aflatoxin accumulation in maize. *Journal of Economic Entomology*, 95, 5, pp 1049-1053
<Go to ISI>://000178550000023
- Williams, W.P., Windham, G.L., & Buckley, P.M. (2003)**
Enhancing maize germplasm with resistance to aflatoxin contamination. *Journal of Toxicology-Toxin Reviews*, 22, 2-3, pp 175-193
<Go to ISI>://000185165300004

- Williams, W.P., Windham, G.L., Buckley, P.M., & Daves, C.A. (2002)**
Aflatoxin accumulation in conventional and transgenic corn hybrids infested with southwestern corn borer (Lepidoptera : Crambidae). *Journal of Agricultural and Urban Entomology*, 19, 4, pp 227-236
<Go to ISI>://000189114400005
- Wilson, R.A., Gardner, H.W., & Keller, N.P. (2001)**
Cultivar-dependent expression of a maize lipoxygenase responsive to seed infesting fungi. *Molecular Plant-Microbe Interactions*, 14, 8, pp 980-987
<Go to ISI>://000169947000007
- Windham, G.L. & Williams, W.P. (1998)**
Aspergillus flavus infection and aflatoxin accumulation in resistant and susceptible maize hybrids. *Plant Disease*, 82, 3, pp 281-284
<Go to ISI>://000072163100003
- Windham, G.L. & Williams, W.P. (2002)**
Evaluation of corn inbreds and advanced breeding lines for resistance to aflatoxin contamination in the field. *Plant Disease*, 86, 3, pp 232-234
<Go to ISI>://000173952300006
- Windham, G.L., Williams, W.P., Buckley, P.M., & Abbas, H.K. (2003)**
Inoculation techniques used to quantify aflatoxin resistance in corn. *Journal of Toxicology-Toxin Reviews*, 22, 2-3, pp 313-325
<Go to ISI>://000185165300009
- Windham, G.L., Williams, W.P., & Davis, F.M. (1999)**
Effects of the southwestern corn borer on Aspergillus flavus kernel infection and aflatoxin accumulation in maize hybrids. *Plant Disease*, 83, 6, pp 535-540
<Go to ISI>://000080433500009
- Wright, M.S., Greene-McDowelle, D.M., Zeringue, H.J., Bhatnagar, D., & Cleveland, T.E. (2000)**
Effects of volatile aldehydes from Aspergillus-resistant varieties of corn on Aspergillus parasiticus growth and aflatoxin biosynthesis. *Toxicon*, 38, 9, pp 1215-1223
<Go to ISI>://000086703200004
- Wu, F. (2004)**
Explaining public resistance to genetically modified corn: An analysis of the distribution of benefits and risks. *Risk Analysis*, 24, 3, pp 715-726
<Go to ISI>://000222436300016
- Xu, H.X., Annis, S., Linz, J., & Trail, F. (2000)**
Infection and colonization of peanut pods by Aspergillus parasiticus and the expression of the aflatoxin biosynthetic gene, nor-1, in infection hyphae. *Physiological and Molecular Plant Pathology*, 56, 5, pp 185-196
<Go to ISI>://000087694400001
- Yamazaki, D., Kato, T., Ohtani, E., & Toriumi, M. (1996)**
Grain growth rates of MgSiO₃ perovskite and periclase under lower mantle conditions. *Science*, 274, 5295, pp 2052-2054
<Go to ISI>://A1996VY97400040
- Yates, I.E., Arnold, J.W., Hinton, D.M., Basinger, W., & Walcott, R.R. (2003)**
Fusarium verticillioides induction of maize seed rot and its control. *Canadian Journal of Botany-Revue Canadienne De Botanique*, 81, 5, pp 422-428
<Go to ISI>://000183913900002
- Yi, C., Kaul, H.P., Kubler, E., Schwadorf, K., & Aufhammer, W. (2001)**
Head blight (Fusarium graminearum) and deoxynivalenol concentration in winter wheat as affected by pre-crop, soil tillage and nitrogen fertilization. *Zeitschrift Fur Pflanzenkrankheiten Und Pflanzenschutz-Journal of Plant Diseases and Protection*, 108, 3, pp 217-230
<Go to ISI>://000170353200001
- Yong, R.K. & Cousin, M.A. (2001)**
Detection of moulds producing aflatoxins in maize and peanuts by an immunoassay. *International Journal of Food Microbiology*, 65, 1-2, pp 27-38
<Go to ISI>://000168062100004
- Yuan, Q.P., Hu, W.Q., Pestka, J.J., He, S.Y., & Hart, L.P. (2000)**
Expression of a functional antizearalenone single-chain Fv antibody in transgenic Arabidopsis plants. *Applied and Environmental Microbiology*, 66, 8, pp 3499-3505
<Go to ISI>://000088546300054
- Zeringue, H.J. (2000)**
Identification and effects of maize silk volatiles on cultures of Aspergillus flavus. *Journal of Agricultural and Food Chemistry*, 48, 3, pp 921-925
<Go to ISI>://000086026000056

Zollitsch, W., Raffaseder, C., Bohm, J., Wagner, E., & Leitgeb, R. (2003)

Impact of the mycotoxins moniliformin and beauvericin on growth and carcass traits of broilers. Wiener Tierärztliche Monatsschrift, 90, 9, pp 238-243
<Go to ISI>://000185983500002

Zollner, P., Berner, D., Jodlbauer, J., & Lindner, W. (2000)

Determination of zearalenone and its metabolites alpha- and beta-zearalenol in beer samples by high-performance liquid chromatography-tandem mass spectrometry. Journal of Chromatography B-Analytical Technologies in the Biomedical and Life Sciences, 738, 2, pp 233-241
<Go to ISI>://000085479400005

Zollner, P., Jodlbauer, J., & Lindner, W. (1999)

Determination of zearalenone in grains by high-performance liquid chromatography-tandem mass spectrometry after solid-phase extraction with RP-18 columns or immunoaffinity columns. Journal of Chromatography A, 858, 2, pp 167-174
<Go to ISI>://000083154900003

Zollner, P., Lienau, A., Albert, K., & Lindner, W. (2003)

Derivatization reaction of the mycotoxin moniliformin with 1,2-diamino-4,5-dichlorobenzene: structure elucidation of an unexpected reaction product by liquid chromatography/tandem mass spectrometry and liquid chromatography/nuclear magnetic resonance spectroscopy. Journal of Mass Spectrometry, 38, 7, pp 709-714
<Go to ISI>://000184457300002